



US00D594057S

(12) **United States Design Patent**  
**Hussey et al.**

(10) **Patent No.:** **US D594,057 S**  
(45) **Date of Patent:** **\*\* Jun. 9, 2009**

(54) **BINDER**

(75) Inventors: **Lance Hussey**, Simi Valley, CA (US);  
**Kurt Botsai**, Thousand Oaks, CA (US)

(73) Assignee: **Church of Spiritual Technology**, Los Angeles, CA (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/331,105**

(22) Filed: **Jan. 20, 2009**

**Related U.S. Application Data**

(63) Continuation of application No. 29/281,647, filed on Jun. 27, 2007, now abandoned.

(51) **LOC (9) Cl.** ..... **19-04**

(52) **U.S. Cl.** ..... **D19/27**

(58) **Field of Classification Search** ..... D6/626,  
D6/632, 407; D3/303, 301; D19/27, 26,  
D19/90, 30, 31; D9/423; 402/73; 281/37,  
281/31, 4, 29

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

2,537,135 A 1/1951 Hempel

(Continued)

*Primary Examiner*—Catrhon C Brooks

*Assistant Examiner*—Austin Murphy

(74) *Attorney, Agent, or Firm*—Seldon & Scillieri

(57) **CLAIM**

The ornamental design for a binder, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a binder in accordance with the present invention, and in its closed configuration, representa-

tive contents of the binder and the shape of the ring-support not forming part of the invention;

FIG. 2 is a front plan view thereof, a rear plan view being a mirror image thereof with respect to a vertical plane;

FIG. 3 is a bottom elevation view of the binder illustrated in FIG. 2, a top elevation view being a mirror image thereof with respect to a horizontal plane, representative contents of the binder and the shape of the illustrated ring not forming part of the invention;

FIG. 4 is a left side elevation view of the binder as oriented in FIG. 3;

FIG. 5 is a right side elevation view of the binder as oriented in FIG. 3, representative contents of the binder not forming part of the invention;

FIG. 6 is a perspective view of the binder as illustrated in FIG. 1, but in its opened configuration, representative contents of the binder, the number and shape of the rings and the shape of the ring-support not forming part of the invention;

FIG. 7 is a front plan view of the opened binder illustrated in FIG. 6, representative contents of the binder, the number and shape of the rings and the shape of the ring-support not forming part of the invention;


FIG. 8 is a bottom elevation view of the binder as oriented in FIG. 7, representative contents of the binder, the shape of the illustrated ring and the shape of the ring-support not forming part of the invention;

FIG. 9 is a left side elevation view of the binder as oriented in FIG. 7, representative contents of the binder, the number and shape of the rings and the shape of the ring-support not forming part of the invention;

FIG. 10 is a right side elevation view of the binder as oriented in FIG. 7, representative contents of the binder, the number and shape of the rings and the shape of the ring-support not forming part of the invention; and,

FIG. 11 is a back plan view of the binder as oriented in FIG. 7.

**1 Claim, 6 Drawing Sheets**




# US D594,057 S

Page 2


## U.S. PATENT DOCUMENTS

D313,619 S	1/1991	Moor		D481,074 S	10/2003	Shapiro	
D319,659 S	9/1991	Moor		D495,185 S	8/2004	Palmer	
D319,660 S	9/1991	Moor		D500,204 S	12/2004	Hillman	
D326,226 S	5/1992	Gerhart		D504,463 S	4/2005	Wehmeyer	
D413,923 S	9/1999	Brown et al.		D513,038 S	12/2005	Ong	
D414,801 S	10/1999	Karten et al.		D526,018 S	8/2006	Salander et al.	
D435,591 S	12/2000	Wyant		D549,283 S	8/2007	Bharma	
6,206,602 B1	3/2001	Yamamoto		7,320,554 B2 *	1/2008	Hough et al. ....	402/3
6,213,668 B1	4/2001	Brown		D569,426 S	5/2008	Stockstill et al.	
D449,645 S	10/2001	Gung		7,399,136 B2	7/2008	Petrie	
D451,964 S	12/2001	Chan		D575,333 S	8/2008	Witter	
D455,910 S	4/2002	Cheris et al.		2002/0098031 A1 *	7/2002	Brown et al. ....	402/73
D459,391 S	6/2002	Huang		2003/0071454 A1	4/2003	Muchin	
D476,682 S	7/2003	Berry		2004/0164543 A1	8/2004	Yamamoto et al.	
D478,349 S *	8/2003	Capaci .....	D19/27	2005/0053417 A1 *	3/2005	Yamamoto et al. ....	402/73
				2005/0105960 A1 *	5/2005	Wehmeyer .....	402/73


\* cited by examiner




*FIG. 1*




*FIG. 2*



*FIG. 3*



*FIG. 4*



*FIG. 5*




FIG. 10




Fig. 7



FIG. 8



FIG. 9





FIG. 10



*FIG. 11*



UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : Des. 594,057 S  
APPLICATION NO. : 29/331105  
DATED : June 9, 2009  
INVENTOR(S) : Hussey et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title Pg, Item (63) "Related U.S. Application Data" is amended to recite:

"Continuation of application No. 29/281,647 filed on June 27, 2007, now U.S. Patent D591343."

Signed and Sealed this

Fourteenth Day of July, 2009



JOHN DOLL  
*Acting Director of the United States Patent and Trademark Office*