



US00D594259S

(12) **United States Design Patent**
Swedberg et al.

(10) **Patent No.:** **US D594,259 S**
(45) **Date of Patent:** **** Jun. 16, 2009**

(54) **COOLER SUPPORT**

(75) Inventors: **Todd Swedberg**, Mchenry, IL (US);
Donald Prestley, Crystal Lake, IL (US);
Dennis B. Broeske, Wonder Lake, IL (US)

(73) Assignee: **Stokely-Van Camp, Inc.**, Chicago, IL (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/304,030**

(22) Filed: **Feb. 22, 2008**

(51) **LOC (9) Cl.** **06-06**

(52) **U.S. Cl.** **D6/513; D8/373**

(58) **Field of Classification Search** D6/512-514,
D6/553, 567; D7/603, 605, 300, 312-313;
D8/354, 373, 374, 380; 62/457.1-457.7,
62/239, 371, 376, 3.62, 6.34; 220/592.16,
220/592.17, 592.23-592.27, 915.1, 915.2;
280/47.1, 47.37; 211/13.1, 70.1, 70.6, 71.01,
211/86.01, 87.01

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D312,542 S * 12/1990 Ohlson D6/553
(Continued)

Primary Examiner—Brian N Vinson

(74) *Attorney, Agent, or Firm*—Banner & Witcoff, Ltd.

(57) **CLAIM**

The ornamental design for a cooler support, as shown and described.

DESCRIPTION

FIG. 1 is a front left perspective view showing a first embodiment of our new design of a cooler support;

FIG. 2 is a front view thereof;

FIG. 3 is a rear view thereof;

FIG. 4 is a right view thereof;

FIG. 5 is a left view thereof;

FIG. 6 is a top view thereof;

FIG. 7 is a bottom view thereof;

FIG. 8 is a front left perspective view thereof also showing an exploded view of the environment of an unclaimed cooler secured thereto;

FIG. 9 is a front left perspective view showing a second embodiment of our new design of a cooler support;

FIG. 10 is a front view thereof;

FIG. 11 is a rear view thereof;

FIG. 12 is a right view thereof;

FIG. 13 is a left view thereof;

FIG. 14 is a top view thereof;

FIG. 15 is a bottom view thereof;

FIG. 16 is a front left perspective view thereof also showing an exploded view of the environment of an unclaimed cooler secured thereto;

FIG. 17 is a front left perspective view showing a third embodiment of our new design of a cooler support;

FIG. 18 is a front view thereof;

FIG. 19 is a rear view thereof;

FIG. 20 is a right view thereof;

FIG. 21 is a left view thereof;


FIG. 22 is a top view thereof;

FIG. 23 is a bottom view thereof; and,

FIG. 24 is a front left perspective view thereof also showing an exploded view of the environment of an unclaimed cooler secured thereto.

The dotted broken lines shown in the drawings are for illustrative purposes only and form no part of the claimed design. The dash-dot-dash broken lines in FIGS. 8, 16, and 24 correspond to arrows showing exploded views and form no part of the claimed design.

1 Claim, 18 Drawing Sheets



US D594,259 S

Page 2

U.S. PATENT DOCUMENTS

| | | | | | | | | | |
|--------------|--------|-----------------|-------|--------|--------------|---------|----------------|-------|--------|
| D332,724 S * | 1/1993 | Porter | | D6/567 | D579,247 S * | 10/2008 | Heroux | | D6/513 |
| D470,395 S * | 2/2003 | Valiulis et al. | | D8/373 | D582,708 S * | 12/2008 | Goodman et al. | | D6/513 |
| D563,108 S * | 3/2008 | Shail et al. | | D6/567 | D584,109 S * | 1/2009 | Krog | | D7/313 |
| | | | | | D590,235 S * | 4/2009 | Yan | | D8/354 |

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6





FIG. 7






FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15





FIG. 16






FIG. 17




FIG. 18




FIG. 19




FIG. 20



FIG. 21




FIG. 22




FIG. 23




FIG. 24