



US00D594259S

(12) **United States Design Patent**  
**Swedberg et al.**

(10) **Patent No.:** **US D594,259 S**  
(45) **Date of Patent:** **\*\* Jun. 16, 2009**

(54) **COOLER SUPPORT**

(75) Inventors: **Todd Swedberg**, Mchenry, IL (US);  
**Donald Prestley**, Crystal Lake, IL (US);  
**Dennis B. Broeske**, Wonder Lake, IL (US)

(73) Assignee: **Stokely-Van Camp, Inc.**, Chicago, IL (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/304,030**

(22) Filed: **Feb. 22, 2008**

(51) **LOC (9) Cl.** ..... **06-06**

(52) **U.S. Cl.** ..... **D6/513; D8/373**

(58) **Field of Classification Search** ..... D6/512-514,  
D6/553, 567; D7/603, 605, 300, 312-313;  
D8/354, 373, 374, 380; 62/457.1-457.7,  
62/239, 371, 376, 3.62, 6.34; 220/592.16,  
220/592.17, 592.23-592.27, 915.1, 915.2;  
280/47.1, 47.37; 211/13.1, 70.1, 70.6, 71.01,  
211/86.01, 87.01

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D312,542 S \* 12/1990 Ohlson ..... D6/553  
(Continued)

*Primary Examiner*—Brian N Vinson

(74) *Attorney, Agent, or Firm*—Banner & Witcoff, Ltd.

(57) **CLAIM**

The ornamental design for a cooler support, as shown and described.

**DESCRIPTION**

FIG. 1 is a front left perspective view showing a first embodiment of our new design of a cooler support;

FIG. 2 is a front view thereof;

FIG. 3 is a rear view thereof;

FIG. 4 is a right view thereof;

FIG. 5 is a left view thereof;

FIG. 6 is a top view thereof;

FIG. 7 is a bottom view thereof;

FIG. 8 is a front left perspective view thereof also showing an exploded view of the environment of an unclaimed cooler secured thereto;

FIG. 9 is a front left perspective view showing a second embodiment of our new design of a cooler support;

FIG. 10 is a front view thereof;

FIG. 11 is a rear view thereof;

FIG. 12 is a right view thereof;

FIG. 13 is a left view thereof;

FIG. 14 is a top view thereof;

FIG. 15 is a bottom view thereof;

FIG. 16 is a front left perspective view thereof also showing an exploded view of the environment of an unclaimed cooler secured thereto;

FIG. 17 is a front left perspective view showing a third embodiment of our new design of a cooler support;

FIG. 18 is a front view thereof;

FIG. 19 is a rear view thereof;

FIG. 20 is a right view thereof;

FIG. 21 is a left view thereof;


FIG. 22 is a top view thereof;

FIG. 23 is a bottom view thereof; and,

FIG. 24 is a front left perspective view thereof also showing an exploded view of the environment of an unclaimed cooler secured thereto.

The dotted broken lines shown in the drawings are for illustrative purposes only and form no part of the claimed design. The dash-dot-dash broken lines in FIGS. 8, 16, and 24 correspond to arrows showing exploded views and form no part of the claimed design.

**1 Claim, 18 Drawing Sheets**



# US D594,259 S

Page 2

---

## U.S. PATENT DOCUMENTS

D332,724 S *	1/1993	Porter	.....	D6/567	D579,247 S *	10/2008	Heroux	.....	D6/513
D470,395 S *	2/2003	Valiulis et al.	.....	D8/373	D582,708 S *	12/2008	Goodman et al.	.....	D6/513
D563,108 S *	3/2008	Shail et al.	.....	D6/567	D584,109 S *	1/2009	Krog	.....	D7/313
					D590,235 S *	4/2009	Yan	.....	D8/354

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6





FIG. 7








FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15





FIG. 16






FIG. 17




FIG. 18






FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24