



US00D594635S

(12) **United States Design Patent**
Hannan

(10) **Patent No.:** **US D594,635 S**
(45) **Date of Patent:** **** Jun. 23, 2009**

(54) **HEAD GEAR FOR INCLEMENT WEATHER**

(76) Inventor: **Oliver A. Hannan**, 225 Pevero Dr.,
Idaho Falls, ID (US) 83401

(**) Term: **14 Years**

(21) Appl. No.: **29/325,036**

(22) Filed: **Sep. 25, 2008**

(51) **LOC (9) Cl.** **02-03**

(52) **U.S. Cl.** **D2/877**

(58) **Field of Classification Search** D2/865,
D2/870, 871, 875, 877, 878, 880, 881, 889;
2/171, 172, 174, 209, 209.3, 203

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

335,300	A *	2/1886	Ovenu et al.	2/203
781,232	A *	1/1905	Saks	2/203
D42,913	S *	8/1912	Drullard	D2/880
1,234,828	A *	7/1917	Tramana	2/171.01
1,720,560	A *	7/1929	Lipper	2/195.8
RE18,081	E *	5/1931	Lipper	2/195.8
1,957,206	A *	5/1934	Goldstein	2/172
2,119,330	A *	5/1938	Hirsh	2/209.3
D129,528	S *	9/1941	Jacobson	D2/889
D129,748	S *	9/1941	Oppenheimer	D2/870
D130,272	S *	11/1941	Glassheim	D2/870
2,274,321	A *	2/1942	Degnon	2/171.02
D133,257	S *	7/1942	Karlen	D2/880
D134,772	S *	1/1943	Harpignies	D2/877
D136,853	S *	12/1943	Goodman	D2/881
D148,803	S *	2/1948	Leser	D2/889
D153,623	S *	5/1949	Peters	D2/879
2,665,427	A *	1/1954	Street et al.	2/195.7
2,738,514	A *	3/1956	Gondell	2/209
D293,733	S *	1/1988	Leinoff	D2/501
5,119,514	A *	6/1992	Woehl	2/172
5,575,009	A *	11/1996	Ryvin	2/173
D396,545	S *	8/1998	Campbell	D2/880
D406,936	S	3/1999	Sivret et al.	
D423,725	S *	4/2000	Krutouz	D29/102

D513,834 S * 1/2006 Henderson et al. D2/869
2008/0216214 A1 * 9/2008 Dolby 2/410

* cited by examiner

Primary Examiner—Elizabeth A Albert

Assistant Examiner—Karen E Eldridge Powers

(74) *Attorney, Agent, or Firm*—John Chandler Meline

(57) **CLAIM**

I claim the ornamental design for the head gear for inclement weather, as shown and described.

DESCRIPTION

FIG. 1 is a left side oblique view of the head gear for inclement weather showing the design; the right side is a mirror image of the design shown in FIG. 1.

FIG. 2 is a rear view.

FIG. 3 is an overhead view.

FIG. 4 is a right side oblique view.

FIG. 5 is a front view.

FIG. 6 is a right side view as worn in a first configuration.

FIG. 7 is a front view as worn in a second configuration.

FIG. 8 is a front view as worn in a third configuration.

FIG. 9 is a rear view as worn in the third configuration.

FIG. 10 is a front view as worn in a fourth configuration.

FIG. 11 is a rear view as worn in the fourth configuration.

FIG. 12 is a rear view showing the releasable nature of loop attached to the back of the design; and,




FIG. 13 is right side view of the configuration shown in FIG. 12.

The broken lines showing the human form in FIGS. 6, 7, 8, 9, 10 and 11 illustrate environmental matter and form no part of the claimed design.

The crosshatched pattern, although shown intermittently, is meant to represent fabric, and is understood to be distributed uniformly over the surfaces of the claimed design.

1 Claim, 5 Drawing Sheets








Fig.4




Fig.5




Fig.6




Fig.7




Fig.8




Fig.9




Fig.10




Fig.11

Fig.12




Fig.13

