



US00D594705S

(12) **United States Design Patent**
McComas

(10) **Patent No.:** **US D594,705 S**
(45) **Date of Patent:** **** Jun. 23, 2009**

(54) **PLATE WITH CADDY**

(76) Inventor: **Linda McComas**, 6925 Linda Vista
Blvd., Missoula, MT (US) 59803

(**) Term: **14 Years**

(21) Appl. No.: **29/320,968**

(22) Filed: **Jul. 8, 2008**

(51) **LOC (9) Cl.** **07-01**

(52) **U.S. Cl.** **D7/546; D7/553.8**

(58) **Field of Classification Search** D7/500,
D7/505, 540, 555, 560, 554.2, 566, 584, 585,
D7/587, 698, 570, 567, 543, 624.1, 552.1,
D7/553.4, 554.3, 554.4, 557, 561, 562, 586,
D7/553.8, 549, 546; 229/401; 220/574.1,
220/575, 23.4, 23.86, 574.2; 206/426, 454,
206/563, 564; D9/456

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

421,264 A * 2/1890 Gibbons 220/575
D48,930 S * 4/1916 Douglass D7/555
D52,278 S * 8/1918 Kraus D7/555
D87,682 S * 8/1932 Porter D7/543
1,953,933 A * 4/1934 Gundelach D7/543
D150,666 S * 8/1948 Zachary D7/555
D270,324 S * 8/1983 French D7/505
D278,198 S * 4/1985 Harper D7/555
D305,191 S * 12/1989 Wasserman D7/555
D331,860 S * 12/1992 Stanfield D7/555

5,323,910 A 6/1994 van de Graaf, Jr.
5,419,455 A * 5/1995 Rousseau 220/575
D378,792 S * 4/1997 Westcott D7/501
D392,156 S * 3/1998 Michael D7/555
5,950,856 A 9/1999 Cinque
D415,930 S * 11/1999 Schmidt D7/555
D448,977 S * 10/2001 Bleimaier et al. D7/553.6
6,651,836 B1 * 11/2003 Hofheins et al. 220/575
6,691,890 B1 * 2/2004 Persson 220/575
D577,268 S * 9/2008 Shamoon D7/698

* cited by examiner

Primary Examiner—Charles A Rademaker

(74) *Attorney, Agent, or Firm*—Sarah J. Rhoades

(57) **CLAIM**

The ornamental design for a plate with caddy, as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of a plate with caddy showing my new design;

FIG. 2 is a bottom perspective view thereof;

FIG. 3 is a top perspective view thereof with a cup shown in broken lines to illustrate environment that forms no part of the claimed design;

FIG. 4 is another perspective view thereof showing the design in a rotated position; and,

FIG. 5 is side elevation thereof.

1 Claim, 5 Drawing Sheets




Figure 1




Figure 2




Figure 3





Figure 4






Figure 5