



US00D595080S

(12) **United States Design Patent**  
**Stroppiana**

(10) **Patent No.:** **US D595,080 S**

(45) **Date of Patent:** **\*\* Jun. 30, 2009**

(54) **SUPPORT SURFACE FOR FLOORING**

(75) Inventor: **Fernando Stroppiana**, Grinzane Cavour (IT)

(73) Assignee: **Mondo S.p.A.**, Alba Frazione Gallo (Cuneo) (IT)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/281,225**

(22) Filed: **Jun. 19, 2007**

(30) **Foreign Application Priority Data**

Mar. 26, 2007 (EM) ..... 000695747

(51) **LOC (9) Cl.** ..... **06-11**

(52) **U.S. Cl.** ..... **D6/587**

(58) **Field of Classification Search** ..... D6/567, D6/587, 595, 596, 604, 606; D12/134, 135, D12/136, 137, 138, 139, 150, 151, 152, 543, D12/575, 578, 579, 580; D2/853, 951; D5/3, D5/7, 28, 43, 44, 49, 53, 58, 60, 61, 62; D34/35; 152/209.1, 209.8; 156/148, 209

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D66,798 S \* 3/1925 Hutchens ..... D12/578  
D87,147 S \* 6/1932 Darrow ..... D12/578  
D96,812 S \* 9/1935 Brittain ..... D12/578  
D117,601 S \* 11/1939 Snyder ..... D12/578

D157,953 S \* 4/1950 Hawkinson ..... D12/579  
D167,381 S \* 7/1952 Thaden ..... D12/575  
D187,575 S \* 3/1960 Caurette ..... D12/578  
D280,772 S \* 9/1985 McCreery et al. .... D34/35  
D287,352 S \* 12/1986 Cain ..... D12/578  
D388,036 S \* 12/1997 Labbe et al. .... D12/580  
D450,934 S \* 11/2001 Duritsch et al. .... D5/58  
D455,014 S \* 4/2002 Cheynet ..... D5/53  
D478,410 S \* 8/2003 White ..... D2/951  
D508,332 S \* 8/2005 Julton ..... D5/53  
D530,262 S \* 10/2006 Chapman et al. .... D12/543

\* cited by examiner

*Primary Examiner*—Robert M. Spear

*Assistant Examiner*—Barbara B Lohr

(74) *Attorney, Agent, or Firm*—Heslin Rothenberg Farley & Mestiti P.C.; Victor A. Cardona, Esq.

(57) **CLAIM**

The ornamental design for the support surface for flooring, as shown and described.


**DESCRIPTION**


FIG. 1 is an isometric view of a support surface for flooring comprising my new design; and,

FIG. 2 is a bottom view thereof.


The support surface for flooring is shown with three sides broken away to indicate the claimed design has no specific length or width. It is understood that the support surface repeats uniformly throughout the length and width of the flooring.

**1 Claim, 2 Drawing Sheets**





**FIG. 1**



**FIG. 2**