



US00D595080S

(12) **United States Design Patent**
Stroppiana

(10) **Patent No.:** **US D595,080 S**

(45) **Date of Patent:** **** Jun. 30, 2009**

(54) **SUPPORT SURFACE FOR FLOORING**

(75) Inventor: **Fernando Stroppiana**, Grinzane Cavour (IT)

(73) Assignee: **Mondo S.p.A.**, Alba Frazione Gallo (Cuneo) (IT)

(**) Term: **14 Years**

(21) Appl. No.: **29/281,225**

(22) Filed: **Jun. 19, 2007**

(30) **Foreign Application Priority Data**

Mar. 26, 2007 (EM) 000695747

(51) **LOC (9) Cl.** **06-11**

(52) **U.S. Cl.** **D6/587**

(58) **Field of Classification Search** D6/567, D6/587, 595, 596, 604, 606; D12/134, 135, D12/136, 137, 138, 139, 150, 151, 152, 543, D12/575, 578, 579, 580; D2/853, 951; D5/3, D5/7, 28, 43, 44, 49, 53, 58, 60, 61, 62; D34/35; 152/209.1, 209.8; 156/148, 209

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D66,798 S * 3/1925 Hutchens D12/578
D87,147 S * 6/1932 Darrow D12/578
D96,812 S * 9/1935 Brittain D12/578
D117,601 S * 11/1939 Snyder D12/578

D157,953 S * 4/1950 Hawkinson D12/579
D167,381 S * 7/1952 Thaden D12/575
D187,575 S * 3/1960 Caurette D12/578
D280,772 S * 9/1985 McCreery et al. D34/35
D287,352 S * 12/1986 Cain D12/578
D388,036 S * 12/1997 Labbe et al. D12/580
D450,934 S * 11/2001 Duritsch et al. D5/58
D455,014 S * 4/2002 Cheynet D5/53
D478,410 S * 8/2003 White D2/951
D508,332 S * 8/2005 Julton D5/53
D530,262 S * 10/2006 Chapman et al. D12/543

* cited by examiner

Primary Examiner—Robert M. Spear

Assistant Examiner—Barbara B Lohr

(74) *Attorney, Agent, or Firm*—Heslin Rothenberg Farley & Mestiti P.C.; Victor A. Cardona, Esq.

(57) **CLAIM**

The ornamental design for the support surface for flooring, as shown and described.


DESCRIPTION

FIG. 1 is an isometric view of a support surface for flooring comprising my new design; and,

FIG. 2 is a bottom view thereof.

The support surface for flooring is shown with three sides broken away to indicate the claimed design has no specific length or width. It is understood that the support surface repeats uniformly throughout the length and width of the flooring.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2