



US00D595090S

(12) **United States Design Patent**
Benson

(10) **Patent No.:** **US D595,090 S**
(45) **Date of Patent:** **** Jun. 30, 2009**

(54) **BEVERAGEWARE TUMBLER**

(76) Inventor: **Timothy M. Benson**, 109 St. Charles Ave., Stamford, CT (US) 06907

(**) Term: **14 Years**

(21) Appl. No.: **29/327,039**

(22) Filed: **Oct. 29, 2008**

(51) **LOC (9) Cl.** **07-01**

(52) **U.S. Cl.** **D7/531; D7/523; D7/509**

(58) **Field of Classification Search** D7/534,
D7/527, 531, 509, 500, 532, 530; D34/1;
D9/716, 556, 569; 215/DIG. 7, 703, 592.16,
215/592.17; 229/400

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | |
|---------------|--------|-----------|-------|----------|
| D38,686 S * | 7/1907 | Lee | | D34/1 |
| D64,183 S * | 3/1924 | Heisey | | D7/531 |
| D144,300 S * | 4/1946 | Nicholson | | D7/530 |
| D189,678 S * | 1/1961 | Bloch | | D7/530 |
| 3,269,144 A * | 8/1966 | Poris | | 62/457.3 |
| D247,841 S * | 5/1978 | Seres | | D7/530 |
| D254,951 S * | 5/1980 | Gedye | | D34/1 |
| D295,131 S * | 4/1988 | Durand | | D7/530 |
| D296,743 S * | 7/1988 | Durand | | D7/530 |
| 5,415,339 A * | 5/1995 | Howard | | 229/403 |
| D370,830 S | 6/1996 | Wilson | | |
| D372,398 S | 8/1996 | Lamson | | |

| | | | | |
|-------------------|---------|-----------------|-------|--------|
| D413,766 S | 9/1999 | Hou | | |
| D480,270 S | 10/2003 | Hou | | |
| D489,573 S * | 5/2004 | Li | | D7/530 |
| D523,693 S | 6/2006 | Bodum | | |
| D561,535 S * | 2/2008 | Jin | | D7/531 |
| D568,685 S | 5/2008 | Bodum | | |
| 2007/0125238 A1 * | 6/2007 | Urquhart et al. | | 99/275 |

* cited by examiner

Primary Examiner—Robert M. Spear

Assistant Examiner—Cynthia Underwood

(74) *Attorney, Agent, or Firm*—St. Onge Steward Johnston & Reens LLC

(57) **CLAIM**

The ornamental design for a beverageware tumbler, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a beverageware tumbler in accordance with the new design;


FIG. 2 is front cross-sectional elevation view thereof taken along line 2—2 in FIG. 3;

FIG. 3 is a top plan view thereof;

FIG. 4 is a front cross-sectional elevation view of an outer component thereof taken along line 4—4 in FIG. 3; and,

FIG. 5 is a front cross-sectional elevation view of an inner component thereof taken along line 5—5 in FIG. 3.

1 Claim, 5 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5