



US00D595120S

(12) **United States Design Patent**
Plowman

(10) **Patent No.:** **US D595,120 S**
(45) **Date of Patent:** **** Jun. 30, 2009**

(54) **ROPE SECURING DEVICE**

(76) Inventor: **O. Claude Plowman**, 7466 Lou George Loop, Bessemer, AL (US) 35022

(**) Term: **14 Years**

(21) Appl. No.: **29/331,356**

(22) Filed: **Jan. 23, 2009**

(51) **LOC (9) Cl.** **08-05**

(52) **U.S. Cl.** **D8/356**

(58) **Field of Classification Search** D8/105, D8/107, 333, 349, 354, 356, 358, 360, 360.1, D8/367, 373, 382, 383, 394-396, 400; D13/153, D13/154; 24/18, 115 R, 197, 561, 573.11, 24/581.12, 582.13, 583.1; 52/220.7; 174/66, 174/135, 153 G, 650, 656; 242/400.1, 405.1, 242/405.2, 600, 603; 248/65, 74.1-74.4, 248/201, 214, 215, 229.26; 439/92-108, 439/501, 535; 294/82.19, 82.2; D11/200, D11/211

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

865,531	A *	9/1907	Robinson	24/115 R
1,609,309	A *	12/1926	Renz	242/388.1
2,364,262	A *	12/1944	Wehringer	242/388
2,393,070	A *	1/1946	Saloun	43/44.91
2,881,552	A *	4/1959	Miller	43/44.91
D241,304	S *	9/1976	Sander	D8/333
D242,112	S *	11/1976	Sander	D8/333
D251,478	S *	4/1979	Boden	D8/383
D251,545	S *	4/1979	Boden	D8/383
D298,215	S *	10/1988	Davis	D8/373
D308,731	S *	6/1990	Maglica et al.	D26/138
D310,166	S *	8/1990	Fildan	D8/383
D321,471	S *	11/1991	Stumpf et al.	D8/400
5,772,152	A *	6/1998	Maldonado	242/597

6,070,835	A *	6/2000	Stillinger	248/56
6,189,186	B1 *	2/2001	Boden	24/129 R
D447,934	S *	9/2001	Manor, III	D8/367
D456,692	S *	5/2002	Epstein	D8/356
D462,890	S *	9/2002	Brown	D8/356
D473,456	S *	4/2003	Rodriguez, Jr.	D8/395
6,568,044	B1 *	5/2003	Kidd	24/104
6,600,479	B1 *	7/2003	Smith et al.	345/163
7,032,854	B2 *	4/2006	Marsden	242/388.1
D533,799	S *	12/2006	Thalhammer et al.	D10/106
2007/0215375	A1 *	9/2007	Peng	174/135

* cited by examiner

Primary Examiner—T. Chase Nelson

Assistant Examiner—Karen Acker

(74) *Attorney, Agent, or Firm*—Kenneth M. Bush; Bush Intellectual Property Law

(57) **CLAIM**

I claim the ornamental design for a rope securing device, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a rope securing device showing my new design;

FIG. 2 is a bottom perspective view thereof;


FIG. 3 is a front elevational view thereof, the rear and side elevational views being identical to the front elevational view;

FIG. 4 is a top plan view thereof, the bottom plan view being identical to the top plan view; and,

FIG. 5 is a top perspective view of the design as shown in FIG. 1 with rope rendered in broken line secured thereabout. The rope shown in broken line is included to show the design in a condition of use and forms no part of the claimed design.

In the drawings, the stippling is for shading purposes only and forms no part of the claimed design.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5