



US00D595164S

(12) **United States Design Patent**
Greger et al.

(10) **Patent No.:** **US D595,164 S**
(45) **Date of Patent:** **** Jun. 30, 2009**

(54) **POSITION SENSOR**

7,071,680 B2 * 7/2006 Kurz et al. 324/207.13
7,174,201 B2 * 2/2007 Govari et al. 600/424
D567,683 S * 4/2008 Okuno et al. D10/65

(75) Inventors: **Walter Greger**, Freiburg (DE); **Frank Detering**, Stuttgart (DE)

(73) Assignee: **Sick AG**, Waldkirch (DE)

* cited by examiner

(**) Term: **14 Years**

Primary Examiner—Antoine D Davis

(21) Appl. No.: **29/309,994**

(74) *Attorney, Agent, or Firm*—The Nath Law Group; Jerald L. Meyer; Derek Richmond

(22) Filed: **Dec. 1, 2008**

(57) **CLAIM**

(30) **Foreign Application Priority Data**

The ornamental design for a position sensor, as shown and described.

Jun. 3, 2008 (EM) 000944590

(51) **LOC (9) Cl.** **10-04**

DESCRIPTION

(52) **U.S. Cl.** **D10/65**

(58) **Field of Classification Search** D10/65,
D10/70; 33/733, 763; 92/5 R; 250/231.18;
324/207.11, 207.12, 207.24, 207.25, 679;
341/20; 345/179; 356/614, 620; 360/69,
360/75, 291.1; 385/12, 13; 702/150

FIG. 1 is a perspective view of a position sensor;
FIG. 2 is a front view of a position sensor;
FIG. 3 is a right side view of a position sensor;
FIG. 4 is a rear view of a position sensor;
FIG. 5 is a left side view of a position sensor;
FIG. 6 is a top view of a position sensor; and,
FIG. 7 is a bottom view of a position sensor.

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

6,745,666 B2 * 6/2004 Zilioli 92/5 R

1 Claim, 7 Drawing Sheets




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7

