



US00D595362S

(12) **United States Design Patent**
Maier-Hunke

(10) **Patent No.:** **US D595,362 S**
(45) **Date of Patent:** **** Jun. 30, 2009**

(54) **DOOR PLATE**

(75) Inventor: **Horst-Werner Maier-Hunke**, Iserlohn (DE)

(73) Assignee: **Durable Hunke & Jochheim GmbH & Co. KG**, Iserlohn (DE)

(**) Term: **14 Years**

(21) Appl. No.: **29/289,469**

(22) Filed: **Jul. 20, 2007**

(30) **Foreign Application Priority Data**

Jan. 23, 2007 (EM) 000657010

(51) **LOC (9) Cl.** **20-02**

(52) **U.S. Cl.** **D20/42**

(58) **Field of Classification Search** D20/10, D20/13, 15, 19, 40, 42, 43, 99; 40/584, 611, 40/611.04, 617, 620, 621, 642.02, 649, 651, 40/658, 661, 661.01, 666; D10/104, 109
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | | |
|--------------|------|---------|-----------------|-------|-----------|
| 2,208,019 | A * | 7/1940 | Darling | | 40/649 |
| D388,468 | S * | 12/1997 | Rife | | D20/43 |
| D402,223 | S * | 12/1998 | Stella | | D10/104 |
| D407,120 | S * | 3/1999 | Dunn et al. | | D20/42 |
| 5,987,794 | A * | 11/1999 | Lavi et al. | | 40/611.04 |
| D425,565 | S * | 5/2000 | Bowie | | D20/42 |
| D434,452 | S * | 11/2000 | Steiner et al. | | D20/40 |
| D451,555 | S * | 12/2001 | Smith | | D20/42 |
| 2007/0113451 | A1 * | 5/2007 | McDowell et al. | | 40/642.02 |

* cited by examiner

Primary Examiner—Janice E Seeger

Assistant Examiner—Mary Ann Calabrese

(74) *Attorney, Agent, or Firm*—Mark P. Stone

(57) **CLAIM**

The ornamental design for “door plate”, as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of a first embodiment of a design of the door plate

FIG. 2 is a bottom plan view of the door plate illustrated by FIG. 1;

FIG. 3 is a side elevational view of the door plate illustrated by FIGS. 1 and 2;

FIG. 4 is a front elevational view of the door plate illustrated by FIGS. 1, 2, and 3;

FIG. 5 is a perspective view of the door plate illustrated by FIGS. 1, 2, 3, 4, and 5;

FIG. 6 is a top plan view of a second embodiment of a design of the door plate;

FIG. 7 is a bottom plan view of the doorplate illustrated by FIG. 6;

FIG. 8 is a side elevational view of the doorplate illustrated by FIG. 6;

FIG. 9 is a front elevational view of the doorplate illustrated by FIG. 6;

FIG. 10 is a perspective view of the doorplate illustrated by FIG. 6;

FIG. 11 is a top plan view of a third embodiment of a design of the door plate;

FIG. 12 is a bottom plan view of the doorplate illustrated by FIG. 11;


FIG. 13 is a side elevational view of the doorplate illustrated by FIG. 11;

FIG. 14 is a front elevational view of the doorplate illustrated by FIG. 11; and,

FIG. 15 is a perspective elevational view of the doorplate illustrated by FIG. 11.

The door plates illustrated by FIGS. 1–15 are of the type which are mountable to a vertical structure such as a door, door frame, or wall proximate to a door, for receiving sheets of material with identifying indicia such as the identification of the room and/or the identification of a person occupying the room.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9



FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14



FIG. 15