

US00D595433S

(12) **United States Design Patent**
Kawagoe et al.

(10) **Patent No.:** **US D595,433 S**
(45) **Date of Patent:** **** Jun. 30, 2009**

(54) **FILAMENT FOR LAMP**

(75) Inventors: **Shinya Kawagoe**, Kadoma (JP);
Naotaka Hashimoto, Kadoma (JP);
Toshiyasu Kojima, Kadoma (JP); **Taku Ikeda**, Kadoma (JP)

(73) Assignee: **Panasonic Corporation**, Osaka (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/324,597**

(22) Filed: **Sep. 16, 2008**

1,682,916 A	9/1928	Lebby
2,351,299 A	6/1944	Smith
2,880,352 A	3/1959	Hart
3,416,024 A	12/1968	Young
3,496,403 A	2/1970	Palermo et al.
3,600,053 A	8/1971	Smith
3,629,642 A	12/1971	Demas
3,717,783 A	2/1973	Notelteirs et al.
3,743,375 A	7/1973	De Fraeye
3,777,207 A	12/1973	Notelteirs et al.
5,252,888 A	10/1993	Topel et al.
5,270,609 A	12/1993	Smith et al.
5,380,230 A	1/1995	Smith et al.
D392,057 S	3/1998	Chen
D395,714 S	6/1998	Murata

Related U.S. Application Data

(62) Division of application No. 29/289,011, filed on Jun. 29, 2007, now Pat. No. Des. 580,562.

Foreign Application Priority Data

Mar. 2, 2007	(JP)	2007-5356
Mar. 2, 2007	(JP)	2007-5357
Mar. 2, 2007	(JP)	2007-5358
Mar. 2, 2007	(JP)	2007-5359
Mar. 2, 2007	(JP)	2007-5360
Mar. 2, 2007	(JP)	2007-5361

(51) **LOC (9) Cl.** **26-04**

(52) **U.S. Cl.** **D26/2**

(58) **Field of Classification Search** D26/1-4,
D26/113; 313/9, 37-38, 578-580, 264, 271-279,
313/316, 333; 315/46, 49, 64, 66-69
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D15,685 S	1/1885	Hurdle
D15,839 S	2/1885	Slattery
D32,396 S	3/1900	Husselman
1,105,908 A	8/1914	Hughes
1,188,186 A	6/1916	Langmuir
1,239,413 A	9/1917	Mackay

(Continued)

FOREIGN PATENT DOCUMENTS

JP	D1067839	4/2000
JP	D1119354	8/2001
JP	D1129862	12/2001
JP	D1225823	12/2004

Primary Examiner—Ian Simmons

Assistant Examiner—Dana L Sipos

(74) *Attorney, Agent, or Firm*—Brinks Hofer Gilson & Lione

(57) **CLAIM**

We claim the ornamental design for a filament for lamp, as shown and described.

DESCRIPTION

FIG. 1 is a top, front, right side perspective view of a filament for lamp showing our new design;

FIG. 2 is a front elevation view thereof;

FIG. 3 is a rear elevation view thereof;


FIG. 4 is a left side elevation view thereof;

FIG. 5 is a right side elevation view thereof;

FIG. 6 is a top plan view thereof; and,

FIG. 7 is a bottom plan view thereof.

1 Claim, 7 Drawing Sheets



US D595,433 S

Page 2

U.S. PATENT DOCUMENTS

D395,716 S	6/1998	Murata	D578,674 S *	10/2008	Kawagoe et al.	D26/2
D410,554 S	6/1999	Guyton	D579,129 S *	10/2008	Kawagoe et al.	D26/1
D450,860 S	11/2001	Moriyama et al.	D580,562 S *	11/2008	Kawagoe et al.	D26/1
D512,788 S	12/2005	Komiya et al.	D581,062 S *	11/2008	Kawagoe et al.	D26/2
D520,150 S	5/2006	Komiya et al.	D581,063 S *	11/2008	Kawagoe et al.	D26/2
			D581,064 S *	11/2008	Kawagoe et al.	D26/2

* cited by examiner

FIG. 1




FIG.2




FIG.3




FIG. 4




FIG.5




FIG. 6




FIG. 7

