

US00D595832S

(12) **United States Design Patent**
Asselbergs

(10) **Patent No.:** **US D595,832 S**

(45) **Date of Patent:** **** Jul. 7, 2009**

(54) **REGISTER BOOSTER**

(75) Inventor: **Christophe K. J. Asselbergs**, Durant, IA (US)

(73) Assignee: **Suncourt, Inc**, Durant, IA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/332,504**

(22) Filed: **Feb. 18, 2009**

(51) **LOC (9) Cl.** **23-04**

(52) **U.S. Cl.** **D23/388**

(58) **Field of Classification Search** D23/385–389,
D23/393, 392, 370, 351, 354; 454/309, 275–277,
454/284

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,875,683	A	9/1932	Waterbury	
1,875,684	A	9/1932	Waterbury	
1,875,685	A	9/1932	Waterbury	
1,886,841	A	11/1932	Searles	
2,043,934	A	6/1936	Spear	
2,972,941	A	2/1961	Bennett	
3,099,201	A	7/1963	Gottlieb	
3,148,613	A	9/1964	Koon	
3,320,406	A	5/1967	Wainwright	
D268,952	S *	5/1983	Anderson	D23/385
4,576,331	A	3/1986	Harwell	
4,722,266	A	2/1988	Deckert	
4,754,697	A	7/1988	Asselbergs	
4,809,593	A	3/1989	Asselbergs	
4,846,399	A	7/1989	Asselbergs	
D315,790	S *	3/1991	Koessler	D23/388
5,054,380	A	10/1991	Hubbard	
5,141,707	A *	8/1992	Brite	454/290

5,232,403	A *	8/1993	Marotta	454/289
D358,205	S *	5/1995	Ruhland	D23/393
5,449,319	A	9/1995	Dushane et al.	
D365,618	S *	12/1995	King et al.	D23/389
5,489,238	A	2/1996	Asselbergs	
5,597,392	A *	1/1997	Hawkins et al.	454/289
D393,708	S *	4/1998	Assadi	D23/388
5,910,045	A	6/1999	Aoki et al.	
D413,665	S *	9/1999	Hudson	D23/393
D468,417	S *	1/2003	Leutz et al.	D23/393
6,537,146	B1 *	3/2003	Haynes	454/290
7,328,478	B2 *	2/2008	Jenkins	454/284
D579,538	S *	10/2008	Brown, Jr.	D23/387
2006/0240764	A1	10/2006	Pierce et al.	

* cited by examiner

Primary Examiner—T. Chase Nelson

Assistant Examiner—David G Muller

(74) *Attorney, Agent, or Firm*—Maginot, Moore & Beck LLP

(57) **CLAIM**

The ornamental design for a register booster, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a register booster showing my new design;

FIG. 2 is a top plan view of the design shown in FIG. 1;


FIG. 3 is a front elevation view of the design shown in FIG. 1, the rear elevational view being identical;

FIG. 4 is a side elevational view of the design shown in FIG. 1; and,

FIG. 5 is another side elevational view of the design shown in FIG. 1.

The broken lines of FIGS. 1–5 illustrate portions of the register booster that form no part of the claimed design.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4

FIG. 5