



US00D595832S

(12) **United States Design Patent**
Asselbergs

(10) **Patent No.:** **US D595,832 S**

(45) **Date of Patent:** **** Jul. 7, 2009**

(54) **REGISTER BOOSTER**

(75) Inventor: **Christophe K. J. Asselbergs**, Durant, IA (US)

(73) Assignee: **Suncourt, Inc**, Durant, IA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/332,504**

(22) Filed: **Feb. 18, 2009**

(51) **LOC (9) Cl.** **23-04**

(52) **U.S. Cl.** **D23/388**

(58) **Field of Classification Search** D23/385-389,
D23/393, 392, 370, 351, 354; 454/309, 275-277,
454/284

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | |
|-----------|-----|---------|------------|---------|
| 1,875,683 | A | 9/1932 | Waterbury | |
| 1,875,684 | A | 9/1932 | Waterbury | |
| 1,875,685 | A | 9/1932 | Waterbury | |
| 1,886,841 | A | 11/1932 | Searles | |
| 2,043,934 | A | 6/1936 | Spear | |
| 2,972,941 | A | 2/1961 | Bennett | |
| 3,099,201 | A | 7/1963 | Gottlieb | |
| 3,148,613 | A | 9/1964 | Koon | |
| 3,320,406 | A | 5/1967 | Wainwright | |
| D268,952 | S * | 5/1983 | Anderson | D23/385 |
| 4,576,331 | A | 3/1986 | Harwell | |
| 4,722,266 | A | 2/1988 | Deckert | |
| 4,754,697 | A | 7/1988 | Asselbergs | |
| 4,809,593 | A | 3/1989 | Asselbergs | |
| 4,846,399 | A | 7/1989 | Asselbergs | |
| D315,790 | S * | 3/1991 | Koessler | D23/388 |
| 5,054,380 | A | 10/1991 | Hubbard | |
| 5,141,707 | A * | 8/1992 | Brite | 454/290 |

| | | | | |
|--------------|------|---------|----------------|---------|
| 5,232,403 | A * | 8/1993 | Marotta | 454/289 |
| D358,205 | S * | 5/1995 | Ruhland | D23/393 |
| 5,449,319 | A | 9/1995 | Dushane et al. | |
| D365,618 | S * | 12/1995 | King et al. | D23/389 |
| 5,489,238 | A | 2/1996 | Asselbergs | |
| 5,597,392 | A * | 1/1997 | Hawkins et al. | 454/289 |
| D393,708 | S * | 4/1998 | Assadi | D23/388 |
| 5,910,045 | A | 6/1999 | Aoki et al. | |
| D413,665 | S * | 9/1999 | Hudson | D23/393 |
| D468,417 | S * | 1/2003 | Leutz et al. | D23/393 |
| 6,537,146 | B1 * | 3/2003 | Haynes | 454/290 |
| 7,328,478 | B2 * | 2/2008 | Jenkins | 454/284 |
| D579,538 | S * | 10/2008 | Brown, Jr. | D23/387 |
| 2006/0240764 | A1 | 10/2006 | Pierce et al. | |

* cited by examiner

Primary Examiner—T. Chase Nelson

Assistant Examiner—David G Muller

(74) *Attorney, Agent, or Firm*—Maginot, Moore & Beck LLP

(57) **CLAIM**

The ornamental design for a register booster, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a register booster showing my new design;

FIG. 2 is a top plan view of the design shown in FIG. 1;


FIG. 3 is a front elevation view of the design shown in FIG. 1, the rear elevational view being identical;

FIG. 4 is a side elevational view of the design shown in FIG. 1; and,

FIG. 5 is another side elevational view of the design shown in FIG. 1.

The broken lines of FIGS. 1-5 illustrate portions of the register booster that form no part of the claimed design.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4

FIG. 5