



US00D595833S

(12) **United States Design Patent**  
**Lazzara**

(10) **Patent No.:** **US D595,833 S**  
(45) **Date of Patent:** **\*\* Jul. 7, 2009**

- (54) **FIRE PIT**
- (76) Inventor: **Croix B. Lazzara**, 3918 De Longpre Ave., Los Angeles, CA (US) 90027
- (\*\*) Term: **14 Years**
- (21) Appl. No.: **29/310,452**
- (22) Filed: **Aug. 18, 2008**

**Related U.S. Application Data**

- (62) Division of application No. 29/285,912, filed on Apr. 16, 2007, now Pat. No. Des. 575,389.

- (51) **LOC (9) Cl.** ..... **23-03**
- (52) **U.S. Cl.** ..... **D23/403**
- (58) **Field of Classification Search** ..... D23/314, D23/32, 403-410, 415-422, 343, 345, 347-350, D23/373, 374, 393, 499; D7/332, 333, 335, D7/402, 407, 408; 52/58, 218, 219; 126/9 A, 126/9 B, 9 R, 39 H, 39 R, 58, 144, 215, 218, 126/219, 245, 500, 509, 510, 519, 540, 544, 126/546, 547, 555; 150/154, 165; 428/15, 428/21, 102; 454/12

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- 1,238,142 A \* 8/1917 Hitchcock ..... 126/29
- 1,438,345 A \* 12/1922 Tait et al. .... 126/9 R
- D142,417 S \* 9/1945 Jones ..... D7/332
- 2,469,885 A \* 5/1949 Molla ..... 126/151
- 3,109,420 A \* 11/1963 Ott et al. .... 126/9 R
- 3,146,773 A \* 9/1964 Melzer ..... 126/9 R
- 3,384,066 A \* 5/1968 Tufts ..... 126/9 R
- D220,150 S \* 3/1971 Roestenberg ..... D7/332
- 3,575,156 A \* 4/1971 Hosford ..... 126/25 R
- 3,682,154 A \* 8/1972 Mollere ..... 126/9 A
- 4,140,099 A \* 2/1979 Newport ..... 126/9 A
- 4,149,514 A \* 4/1979 Latouf ..... 126/9 R
- D252,664 S \* 8/1979 Hall ..... D7/332
- 4,211,206 A \* 7/1980 Darbo ..... 126/9 R
- 4,254,863 A \* 3/1981 Katcs et al. .... 206/216
- 4,503,835 A \* 3/1985 Williams ..... 126/25 B
- 4,508,094 A \* 4/1985 Hait ..... 126/9 R
- 4,532,910 A \* 8/1985 Longley, Jr. .... 126/9 B

- 4,762,525 A \* 8/1988 Wood ..... 44/534
- 4,782,812 A \* 11/1988 Kellerman ..... 126/9 A
- 4,788,905 A \* 12/1988 Von Kohorn ..... 99/357
- 4,909,235 A \* 3/1990 Boetcker ..... 126/9 R
- 4,936,285 A \* 6/1990 Hait ..... 126/29
- 4,938,202 A \* 7/1990 Hait ..... 126/9 R
- 4,953,533 A \* 9/1990 Witt ..... 126/25 B
- 4,958,618 A \* 9/1990 Davidson ..... 126/9 B
- 5,495,845 A \* 3/1996 Hait ..... 126/9 R
- 5,682,872 A \* 11/1997 Whitted ..... 126/29
- D423,867 S \* 5/2000 Cael et al. .... D7/332
- 6,158,425 A \* 12/2000 Kim ..... 126/9 A
- 6,314,955 B1 \* 11/2001 Boetcker ..... 126/9 R
- D476,403 S \* 6/2003 Goodrich ..... D23/332
- 6,935,326 B1 \* 8/2005 Willis ..... 126/9 R
- 6,962,148 B1 \* 11/2005 Ashbaugh ..... 126/250
- 7,107,983 B1 \* 9/2006 West ..... 126/25 R
- D546,114 S \* 7/2007 Reiner ..... D7/332
- D575,106 S \* 8/2008 Minassian ..... D7/402
- 2005/0115556 A1 \* 6/2005 Carson et al. .... 126/25 R
- 2007/0006863 A1 \* 1/2007 Barbarich ..... 126/9 R

\* cited by examiner

*Primary Examiner*—T. Chase Nelson

*Assistant Examiner*—Karen Acker

(74) *Attorney, Agent, or Firm*—Frijouf, Rust & Pyle P.A.


(57) **CLAIM**

The ornamental design for the fire pit, as shown and described.

**DESCRIPTION**

FIG. 1 is a top isometric view of my new design for a fire pit;  
 FIG. 2 is a bottom isometric view thereof;  
 FIG. 3 is a top view thereof;  
 FIG. 4 is a bottom view thereof;  
 FIG. 5 is a front view thereof;  
 FIG. 6 is a rear view thereof;  
 FIG. 7 is a left side view thereof; and,  
 FIG. 8 is a right side view.

**1 Claim, 4 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4






FIG. 5




FIG. 6




FIG. 7




FIG. 8