



US00D595852S

(12) **United States Design Patent**
Wilkens

(10) **Patent No.:** **US D595,852 S**
(45) **Date of Patent:** **** Jul. 7, 2009**

(54) **ORTHODONTIC COIL SPRING TRACTION
DEVICE**

(75) Inventor: **Paul Wilkens**, Tampa, FL (US)

(73) Assignee: **Ortho Technology, Inc.**, Tampa, FL
(US)

(**) Term: **14 Years**

(21) Appl. No.: **29/301,299**

(22) Filed: **Feb. 21, 2008**

(51) **LOC (9) Cl.** **24-02**

(52) **U.S. Cl.** **D24/152; D8/44**

(58) **Field of Classification Search** D24/155,
D24/156, 107, 176, 180, 181, 182, 152; 433/173,
433/176, 49, 70, 168.1, 38, 39, 40, 47, 5,
433/8-17; D8/387, 388, 393, 44; D29/108,
D29/100; 128/859, 861, 862; 72/68, 299,
72/316

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D265,170 S * 6/1982 Zukaitis D8/44
D317,553 S * 6/1991 Nakagiri D8/44
5,037,297 A * 8/1991 Lerner 433/14
5,161,969 A * 11/1992 Pospisil et al. 433/8
D359,431 S * 6/1995 Motley D8/44

5,885,074 A * 3/1999 Hanson 433/13
6,203,318 B1 * 3/2001 Birkel 433/15
6,206,690 B1 * 3/2001 Vargas 433/9
6,309,214 B2 * 10/2001 Birkel 433/15
6,358,045 B1 * 3/2002 Farzin-Nia et al. 433/13
6,746,243 B1 * 6/2004 Holzhauer 433/11
6,910,885 B2 * 6/2005 Bloore et al. 433/15
7,063,531 B2 * 6/2006 Maijer et al. 433/11
7,329,120 B1 * 2/2008 Cannon 433/10
D567,042 S * 4/2008 Wilkes D8/44

* cited by examiner

Primary Examiner—Charles A Rademaker

(74) *Attorney, Agent, or Firm*—Arthur W. Fisher, III

(57) **CLAIM**

I claim the ornamental design for a orthodontic coil spring traction device, as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of an orthodontic coil spring traction device showing my new design;

FIG. 2 is a bottom plan view thereof;


FIG. 3 is a front elevation thereof;

FIG. 4 is a rear elevation thereof;

FIG. 5 is a right side elevation thereof; and,

FIG. 6 is a left side elevation thereof.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5



FIG. 6