



US00D595861S

(12) **United States Design Patent**
Kageyama et al.

(10) **Patent No.:** **US D595,861 S**
(45) **Date of Patent:** **** Jul. 7, 2009**

(54) **BLOOD TESTING CHIP**

(75) Inventors: **Yasuhisa Kageyama**, Kyoto (JP); **Yoko Hayashi**, Tokushima (JP); **Akinori Yokogawa**, Kyoto (JP); **Shun Momose**, Kyoto (JP); **Hidetaka Okada**, Kyoto (JP); **Toshihiro Mori**, Kyoto (JP)

(73) Assignee: **Rohm Co., Ltd.**, Kyoto (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/302,475**

(22) Filed: **Jan. 17, 2008**

(30) **Foreign Application Priority Data**

Jul. 18, 2007 (JP) 2007-019507

(51) **LOC (9) Cl.** **24-01**

(52) **U.S. Cl.** **D24/225**

(58) **Field of Classification Search** D24/216-230;
422/64, 102, 56, 58, 61, 63, 99, 104; 356/246;
D10/81, 103

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D299,859 S *	2/1989	Fan et al.	D24/225
D299,860 S *	2/1989	Fan et al.	D24/225
D328,135 S *	7/1992	Fan et al.	D24/223
D331,806 S *	12/1992	Sodergren	D24/224
D438,633 S *	3/2001	Miller	D24/224
6,203,757 B1 *	3/2001	Lu et al.	422/58
D480,149 S *	9/2003	Dawson et al.	D24/224
D486,917 S *	2/2004	Porter	D24/223
7,046,357 B2 *	5/2006	Weinberger et al.	356/246

OTHER PUBLICATIONS

Yasuhisa Kageyama et al., "Blood Testing Chip," U.S. Appl. No. 29/302,822, filed Jan. 25, 2008.
Akinori Yokogawa et al., "Blood Testing Chip," U.S. Appl. No. 29/302,835, filed Jan. 25, 2008.
Yoko Hayashi et al., "Blood Testing Chip," U.S. Appl. No. 29/302,479, filed Jan. 17, 2008.
Akinori Yokogawa et al., "Blood Testing Chip," U.S. Appl. No. 29/302,409, filed Jan. 16, 2008.
Akinori Yokogawa et al., "Blood Testing Chip," U.S. Appl. No. 29/302,836, filed Jan. 25, 2008.
Akinori Yokogawa et al., "Blood Testing Chip," U.S. Appl. No. 29/302,408, filed Jan. 16, 2008.

* cited by examiner

Primary Examiner—T. Chase Nelson

Assistant Examiner—Anhdao Doan

(74) *Attorney, Agent, or Firm*—Fish & Richardson P.C.

(57) **CLAIM**

The ornamental design for a blood testing chip, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a blood testing chip showing our new design;

FIG. 2 is a rear view thereof;

FIG. 3 is a top plan view thereof;


FIG. 4 is a bottom plan view thereof;

FIG. 5 is a right side view thereof; and,

FIG. 6 is a left side view thereof.

The broken lines in FIG. 1 are included for the purpose of illustrating a portion of the blood testing chip that forms no part of the claimed design.

1 Claim, 2 Drawing Sheets






Fig. 1




Fig. 2



Fig. 3




Fig. 4



Fig. 5




Fig. 6