

US00D595867S

(12) **United States Design Patent**
Hammer et al.

(10) **Patent No.:** **US D595,867 S**
(45) **Date of Patent:** **** Jul. 7, 2009**

(54) **INSERT FOR MOLD FOR FORMING
CONCRETE BLOCKS**

(75) Inventors: **James E. Hammer**, University Place,
WA (US); **Llewellyn Lee Johnston**,
Vancouver, WA (US)

(73) Assignee: **Westblock Systems, Inc.**, Salem, OR
(US)

(**) Term: **14 Years**

(21) Appl. No.: **29/289,849**

(22) Filed: **Aug. 2, 2007**

Related U.S. Application Data

(60) Continuation-in-part of application No. 11/032,994,
filed on Jan. 10, 2005, which is a division of applica-
tion No. 10/091,039, filed on Mar. 4, 2002, now Pat.
No. 7,100,886, application No. 29/289,849, which is a
continuation-in-part of application No. 10/931,485,
filed on Aug. 31, 2004, which is a continuation-in-part
of application No. 10/273,631, filed on Oct. 18, 2002,
now Pat. No. 7,328,537, and a continuation-in-part of
application No. 10/091,039.

(51) **LOC (9) Cl.** **25-01**

(52) **U.S. Cl.** **D25/113**

(58) **Field of Classification Search** D25/102,
D25/112-118, 158, 163, 103, 109, 110; 405/284,
405/286; 249/119, 52, 98; 425/253

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D22,173 S *	1/1893	Pilkington	D25/103
D47,284 S *	5/1915	Ebeling	D25/10
1,219,127 A	3/1917	Marshall		
1,631,901 A *	6/1927	Threadgill	249/101
2,954,838 A *	10/1960	Nuorivaara	181/290
3,940,229 A	2/1976	Hutton		
3,981,953 A	9/1976	Haines		
4,093,174 A	6/1978	Mullins		

4,498,268 A *	2/1985	Inman	52/591.1
5,078,940 A	1/1992	Sayles		
5,217,630 A	6/1993	Sayles		
5,568,994 A	10/1996	Dawson		
5,722,386 A	3/1998	Fladgard et al.		
5,771,631 A	6/1998	Dawson		

(Continued)

FOREIGN PATENT DOCUMENTS

JP	07-052133	2/1995
JP	2001-191314	7/2001

OTHER PUBLICATIONS

Photographs of a "softsplit mold," pp. 1-3 (in use prior to 2002).
Statement of James Hammer Regarding Prior Sales.
Statement by James Hammer Regarding Prior Sale, dated Oct. 8,
2008, 1 page.

Primary Examiner—T. Chase Nelson

Assistant Examiner—Anhdao Doan

(74) *Attorney, Agent, or Firm*—Klarquist Sparkman, LLP

(57) **CLAIM**

The ornamental design for an insert for a mold for forming
concrete blocks, as shown and described.

DESCRIPTION

FIG. 1 a front elevational view of an insert for a mold for
forming concrete blocks.

FIG. 2 is a top plan view of FIG. 1.

FIG. 3 is a right side elevational view of FIG. 1.


FIG. 4 is a left side elevational view of FIG. 1.

FIG. 5 is a bottom plan view of FIG. 1; and,

FIG. 6 is a rear elevational view of FIG. 1.

The broken lines immediately adjacent the shaded areas rep-
resent the bounds of the claim, and all other broken lines are
included for the purpose of illustrating portions of the insert
for a mold for forming concrete blocks that form no part of the
claimed design. None of the broken lines form a part of the
claimed design.

1 Claim, 1 Drawing Sheet



US D595,867 S

Page 2

U.S. PATENT DOCUMENTS

5,879,603	A	3/1999	Sievert	6,224,815	B1	5/2001	LaCroix et al.	
6,113,379	A	9/2000	LaCroix et al.	6,293,065	B1 *	9/2001	Suzuki et al. 52/315
6,114,009	A *	9/2000	Smith	6,464,199	B1	10/2002	Johnson	
6,138,983	A	10/2000	Sievert	D493,897	S *	8/2004	Campacci	D25/163
6,159,401	A	12/2000	Hoesch	2003/0164574	A1	9/2003	Hammer et al.	
6,209,848	B1	4/2001	Bolles et al.	2005/0108973	A1	5/2005	Hammer et al.	

* cited by examiner

