



US00D595867S

(12) **United States Design Patent**
Hammer et al.

(10) **Patent No.:** **US D595,867 S**
(45) **Date of Patent:** **** Jul. 7, 2009**

(54) **INSERT FOR MOLD FOR FORMING
CONCRETE BLOCKS**

(75) Inventors: **James E. Hammer**, University Place,
WA (US); **Llewellyn Lee Johnston**,
Vancouver, WA (US)

(73) Assignee: **Westblock Systems, Inc.**, Salem, OR
(US)

(**) Term: **14 Years**

(21) Appl. No.: **29/289,849**

(22) Filed: **Aug. 2, 2007**

Related U.S. Application Data

(60) Continuation-in-part of application No. 11/032,994,
filed on Jan. 10, 2005, which is a division of applica-
tion No. 10/091,039, filed on Mar. 4, 2002, now Pat.
No. 7,100,886, application No. 29/289,849, which is a
continuation-in-part of application No. 10/931,485,
filed on Aug. 31, 2004, which is a continuation-in-part
of application No. 10/273,631, filed on Oct. 18, 2002,
now Pat. No. 7,328,537, and a continuation-in-part of
application No. 10/091,039.

(51) **LOC (9) Cl.** **25-01**

(52) **U.S. Cl.** **D25/113**

(58) **Field of Classification Search** D25/102,
D25/112-118, 158, 163, 103, 109, 110; 405/284,
405/286; 249/119, 52, 98; 425/253

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | |
|---------------|---------|------------|-------|---------|
| D22,173 S * | 1/1893 | Pilkington | | D25/103 |
| D47,284 S * | 5/1915 | Ebeling | | D25/10 |
| 1,219,127 A | 3/1917 | Marshall | | |
| 1,631,901 A * | 6/1927 | Threadgill | | 249/101 |
| 2,954,838 A * | 10/1960 | Nuorivaara | | 181/290 |
| 3,940,229 A | 2/1976 | Hutton | | |
| 3,981,953 A | 9/1976 | Haines | | |
| 4,093,174 A | 6/1978 | Mullins | | |

| | | | | |
|---------------|---------|-----------------|-------|----------|
| 4,498,268 A * | 2/1985 | Inman | | 52/591.1 |
| 5,078,940 A | 1/1992 | Sayles | | |
| 5,217,630 A | 6/1993 | Sayles | | |
| 5,568,994 A | 10/1996 | Dawson | | |
| 5,722,386 A | 3/1998 | Fladgard et al. | | |
| 5,771,631 A | 6/1998 | Dawson | | |

(Continued)

FOREIGN PATENT DOCUMENTS

| | | |
|----|-------------|--------|
| JP | 07-052133 | 2/1995 |
| JP | 2001-191314 | 7/2001 |

OTHER PUBLICATIONS

Photographs of a "softsplit mold," pp. 1-3 (in use prior to 2002).
Statement of James Hammer Regarding Prior Sales.
Statement by James Hammer Regarding Prior Sale, dated Oct. 8,
2008, 1 page.

Primary Examiner—T. Chase Nelson

Assistant Examiner—Anhdao Doan

(74) *Attorney, Agent, or Firm*—Klarquist Sparkman, LLP

(57) **CLAIM**

The ornamental design for an insert for a mold for forming
concrete blocks, as shown and described.

DESCRIPTION

FIG. 1 a front elevational view of an insert for a mold for
forming concrete blocks.

FIG. 2 is a top plan view of FIG. 1.

FIG. 3 is a right side elevational view of FIG. 1.


FIG. 4 is a left side elevational view of FIG. 1.

FIG. 5 is a bottom plan view of FIG. 1; and,

FIG. 6 is a rear elevational view of FIG. 1.

The broken lines immediately adjacent the shaded areas rep-
resent the bounds of the claim, and all other broken lines are
included for the purpose of illustrating portions of the insert
for a mold for forming concrete blocks that form no part of the
claimed design. None of the broken lines form a part of the
claimed design.

1 Claim, 1 Drawing Sheet



US D595,867 S

Page 2

U.S. PATENT DOCUMENTS

| | | | | | | | |
|-----------|-----|---------|---------------------|--------------|------|---------|---------------------------|
| 5,879,603 | A | 3/1999 | Sievert | 6,224,815 | B1 | 5/2001 | LaCroix et al. |
| 6,113,379 | A | 9/2000 | LaCroix et al. | 6,293,065 | B1 * | 9/2001 | Suzuki et al. 52/315 |
| 6,114,009 | A * | 9/2000 | Smith 428/167 | 6,464,199 | B1 | 10/2002 | Johnson |
| 6,138,983 | A | 10/2000 | Sievert | D493,897 | S * | 8/2004 | Campacci D25/163 |
| 6,159,401 | A | 12/2000 | Hoesch | 2003/0164574 | A1 | 9/2003 | Hammer et al. |
| 6,209,848 | B1 | 4/2001 | Bolles et al. | 2005/0108973 | A1 | 5/2005 | Hammer et al. |

* cited by examiner




FIG. 3



FIG. 4




FIG. 6