



US00D595953S

(12) **United States Design Patent**  
**Collins**

(10) **Patent No.:** **US D595,953 S**  
(45) **Date of Patent:** **\*\* Jul. 14, 2009**

(54) **SMOKELESS TOBACCO CONTAINER  
HOLDER**

**DESCRIPTION**

(75) Inventor: **Donald W. Collins**, Vancouver, WA (US)

(73) Assignee: **DWC Enterprises, LLC**, Vancouver,  
WA (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/312,333**

(22) Filed: **Oct. 14, 2008**

(51) **LOC (9) Cl.** ..... **03-01**

(52) **U.S. Cl.** ..... **D3/215; D3/229; D27/186**

(58) **Field of Classification Search** ..... D3/215,  
D3/226, 228, 229, 230, 243, 299; D27/172,  
D27/183, 186-187, 189-191; 224/163, 247,  
224/240, 675, 677, 681, 683, 901.4, 901.6;  
206/37-338, 236, 242, 248, 260; 24/3.7,  
24/163 K

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

1,777,543	A *	10/1930	Bashe et al.	.....	24/3.7
D237,428	S *	11/1975	Baker	.....	D3/226
3,949,916	A *	4/1976	Yount	.....	224/240
D263,767	S *	4/1982	Sogoian et al.	.....	D3/230
D271,061	S *	10/1983	Zimmerman	.....	D3/229
4,562,620	A *	1/1986	Oliver, Jr.	.....	24/163 K
D387,897	S *	12/1997	Yorke et al.	.....	D3/215
D548,957	S *	8/2007	Lowe	.....	D3/215
D559,531	S *	1/2008	Koppe	.....	D3/215

\* cited by examiner

*Primary Examiner*—Catherine R Oliver

(74) *Attorney, Agent, or Firm*—Portland Intellectual  
Property, LLC; Garth Janke

(57) **CLAIM**

The ornamental design for a smokeless tobacco container  
holder, substantially as shown and described.

FIG. 1 is a front and left side perspective view of a smokeless tobacco container holder showing my new design, with the holder in a closed configuration;

FIG. 2 is a front elevation thereof.

FIG. 3 is a rear elevation thereof.

FIG. 4 is a top view thereof.

FIG. 5 is a bottom view thereof.

FIG. 6 is a right side elevation thereof, the left side being a mirror image of the right side.

FIG. 7 is a left side rear perspective view thereof.

FIG. 8 is a front and left side perspective view, showing the holder in a partially open configuration;

FIG. 9 is a front and left side perspective view, showing the holder in a partially open configuration;

FIG. 10 is a front elevation of the holder in the open configuration of FIG. 9.

FIG. 11 is a rear elevation of the holder in the open configuration of FIG. 9.

FIG. 12 is a right side elevation of the holder in the open configuration of FIG. 9, the left side being a mirror image of the right side.

FIG. 13 is a top view of the holder in the open configuration of FIG. 9; and,

FIG. 14 is a bottom view of the holder in the open configuration of FIG. 9.

Environment is indicated by “dash-double-dot” lines, whereas in FIGS. 3, 7, and 11, the dashed lines indicate stitching which forms part of the claimed design.

In all Figures, shading accords to the lighting convention described in 37 C.F.R. § 1.84(m).

The broken line showing of environment in the drawings is included for the purpose of illustrating only and forms no part of the claimed design.

**1 Claim, 5 Drawing Sheets**




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6





Fig. 7






Fig. 9




Fig. 8



Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14

