



US00D596108S

(12) **United States Design Patent**
Maxwell et al.

(10) **Patent No.:** **US D596,108 S**
(45) **Date of Patent:** **** Jul. 14, 2009**

(54) **TIRE**
(75) Inventors: **Paul Bryan Maxwell**, Kent, OH (US);
Janine Victoria Cowell, Blacksburg, VA
(US); **Shannon Joseph Hughes**,
Rootstown, OH (US); **Charles Joseph**
Ashton, Cuyahoga Falls, OH (US); **Lisa**
Michelle Hanna, Atwater, OH (US);
Mark Allen Grund, Tallmadge, OH
(US)

(73) Assignee: **The Goodyear Tire & Rubber**
Company, Akron, OH (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/329,534**

(22) Filed: **Dec. 17, 2008**

(51) **LOC (9) Cl.** **12-15**

(52) **U.S. Cl.** **D12/553**

(58) **Field of Classification Search** D12/533–567,
D12/900–901; 152/209.8–209.1, 209.25,
152/209.28

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D354,261 S	1/1995	Graas	D12/147
D358,793 S	5/1995	Himuro et al.	D12/151
D397,650 S	9/1998	Himuro	D12/147
D416,836 S	11/1999	Himuro	D12/147
D432,057 S	10/2000	Himuro	D12/146
D450,033 S	11/2001	Graas et al.	D12/563
D455,116 S	4/2002	Graas et al.	D12/553
D455,393 S	4/2002	Ratliff, Jr.	D12/546
D462,313 S	9/2002	Maxwell	D12/546
D469,055 S	1/2003	Johenning et al.	D12/563
D470,100 S	2/2003	Johenning et al.	D12/563
D471,152 S	3/2003	Graas et al.	D12/563
6,601,624 B2	8/2003	Ratliff, Jr.	152/209.19
D484,846 S	1/2004	Graas	D12/551
D491,516 S	6/2004	Miller et al.	D12/553
D491,883 S	6/2004	Landers et al.	D12/553
D501,180 S	1/2005	Landers et al.	D12/563
D504,105 S	4/2005	Landers et al.	D12/553
D512,015 S	11/2005	Landers et al.	D12/552

D512,958 S	12/2005	Allison et al.	D12/552
D514,059 S	1/2006	Dixon	D12/552
D534,857 S	1/2007	Poling et al.	D12/553
D534,859 S *	1/2007	Landers et al.	D12/553
D535,247 S *	1/2007	Shondel et al.	D12/553
D535,248 S *	1/2007	Ashton et al.	D12/553
D579,861 S *	11/2008	Haas et al.	D12/553
D579,862 S *	11/2008	Harvey et al.	D12/553
D579,863 S *	11/2008	Harvey et al.	D12/553
D583,305 S *	12/2008	Ashton et al.	D12/553

* cited by examiner

Primary Examiner—Stacia Cadmus

(74) *Attorney, Agent, or Firm*—Richard B. O’Planick

(57) **CLAIM**

The ornamental design for a tire, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a right side elevational view thereof; the other side being a mirror image thereof;



FIG. 4 is an enlarged fragmentary front elevational view thereof;

FIG. 5 is a perspective view of a second embodiment of a tire showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread and that the opposite side perspective view is a mirror image thereof; and,

FIG. 6 is a front elevational view of a second embodiment, it being understood that an enlarged fragmentary view thereof would be substantially identical to that shown in FIG. 4, with the exception of the inclusion of the sidewall in solid lines.

In the drawings, the broken line showing of the sidewall, inner bead and the peripheral boundary between the tire tread and the sidewall in FIGS. 1 through 4 depict environmental subject matter and form no part of the claimed design.

1 Claim, 6 Drawing Sheets






FIG-1




FIG-2




FIG-3




FIG-4




FIG-5




FIG-6