



US00D596133S

(12) **United States Design Patent**
Hemmi et al.

(10) **Patent No.:** **US D596,133 S**

(45) **Date of Patent:** **** Jul. 14, 2009**

(54) **CONNECTOR PIN**

(75) Inventors: **Yoshinobu Hemmi**, Kyoto (JP);
Hirotsada Teranishi, Kyoto (JP)

(73) Assignee: **Omron Corporation**, Kyoto (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/309,151**

(22) Filed: **Jun. 27, 2008**

(30) **Foreign Application Priority Data**

Dec. 28, 2007 (JP) D2007-036201

(51) **LOC (9) Cl.** **13-03**

(52) **U.S. Cl.** **D13/154**

(58) **Field of Classification Search** D13/133,
D13/146, 147, 154, 184; 439/834, 845, 849–850,
439/862, 884–885, 887

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D504,665 S * 5/2005 Lai et al. D13/154

D568,247 S * 5/2008 Ho et al. D13/133

7,435,122 B2 * 10/2008 Suzuki et al. 439/260

7,452,227 B2 * 11/2008 Matoba et al. 439/260

* cited by examiner

Primary Examiner—Daniel D Bui

(74) *Attorney, Agent, or Firm*—Harness, Dickey & Pierce

(57) **CLAIM**

The ornamental design for a connector pin, as shown and described.

DESCRIPTION

FIG. 1 is a top, front and left side perspective view of a connector pin showing our new design;

FIG. 2 is a top, rear and right side perspective view thereof;

FIG. 3 is a front elevational view thereof;

FIG. 4 is a rear elevational view thereof;

FIG. 5 is a top plan view thereof;


FIG. 6 is a bottom plan view thereof;

FIG. 7 is a left side view thereof; and,

FIG. 8 is a right side view thereof.

In the drawings, the dash-dot line represents the boundary of the claimed design, the broken line represents unclaimed subject matter only and forms no part of the claimed design.

1 Claim, 3 Drawing Sheets






Fig. 1

Fig. 2




Fig. 3




Fig. 4

Fig. 6




Fig. 5



Fig. 7




Fig. 8

