

US00D596143S

(12) **United States Design Patent**
Felegy, Jr. et al.

(10) **Patent No.:** **US D596,143 S**
(45) **Date of Patent:** **** Jul. 14, 2009**

(54) **LOAD CONTROL DEVICE**

(75) Inventors: **Edward M. Felegy, Jr.**, Macungie, PA (US); **Gregory M. Snyder**, Germansville, PA (US); **Gregory Altonen**, Easton, PA (US); **Elliot G. Jacoby**, Glenside, PA (US); **Noel Mayo**, Philadelphia, PA (US); **Joel S. Spira**, Coopersburg, PA (US)

D518,447 S 4/2006 Spira
D519,939 S * 5/2006 Hedderich et al. D13/164
D525,948 S 8/2006 Blair et al.
D537,046 S 2/2007 Blair et al.
D539,234 S 3/2007 Blair et al.
D539,758 S 4/2007 Blair et al.
D543,158 S 5/2007 Blair et al.
D543,951 S 6/2007 Blair et al.
D546,296 S 7/2007 Blair et al.
2008/0111491 A1 5/2008 Spira

(73) Assignee: **Lutron Electronics Co., Inc.**, Coopersburg, PA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/306,225**

(22) Filed: **Apr. 4, 2008**

(51) **LOC (9) Cl.** **13-03**
(52) **U.S. Cl.** **D13/171; D13/164**
(58) **Field of Classification Search** D13/162, D13/164, 171; 174/66; 200/5 R, 5 A, 1 B, 200/293, 296, 329, 406, 513, 520, 530, 302.1, 200/302.2, 314, 315, 341, 344; 338/198-200
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D70,241 S * 5/1926 Davis D8/350
3,269,209 A * 8/1966 Davis 74/483 PB
D309,891 S * 8/1990 Cheng D13/158
D310,818 S * 9/1990 Zaretsky et al. D13/125
5,036,168 A * 7/1991 Kikuchi et al. 200/5 R
D320,786 S * 10/1991 Darnell et al. D13/171
D323,488 S 1/1992 Darnell et al.
D325,559 S * 4/1992 Rosenbaum et al. D13/171
D353,798 S 12/1994 Bryde et al.
D422,567 S 4/2000 Mayo et al.
D437,585 S 2/2001 Mayo et al.
D439,220 S 3/2001 Mayo et al.
D450,043 S * 11/2001 Mosebrook D13/171
D487,429 S * 3/2004 Bennett et al. D13/164

OTHER PUBLICATIONS

U.S. Appl. No. 29/306,219, filed Apr. 4, 2008, Felegy, Jr. et al.

(Continued)

Primary Examiner—Selina Sikder

(74) Attorney, Agent, or Firm—Mark E. Rose; Philip N. Smith

(57) **CLAIM**

We claim the ornamental design for a load control device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a load control device according to a first embodiment of our new design.

FIG. 2 is a front view thereof.

FIG. 3 is a left side view thereof.

FIG. 4 is a right side view thereof.

FIG. 5 is a top view thereof.


FIG. 6 is a bottom view thereof.

FIG. 7 is a perspective view of a load control device according to a second embodiment of our new design; and,

FIG. 8 is a front view thereof, the left side, right side, top, and bottom views, respectively, of the second embodiment being identical to the left side, right side, top, and bottom views of the first embodiment.

The rear views form no part of the design and are omitted.

1 Claim, 6 Drawing Sheets



OTHER PUBLICATIONS

U.S. Appl. No. 29/306,223, filed Apr. 4, 2008, Felegy, Jr. et al.
U.S. Appl. No. 29/306,226, filed Apr. 4, 2008, Altonen et al.
U.S. Appl. No. 29/306,228, filed Apr. 4, 2008, Felegy, Jr. et al.
U.S. Appl. No. 29/306,233, filed Apr. 4, 2008, Felegy, Jr. et al.
U.S. Appl. No. 61/042,421, filed Apr. 4, 2008, Altonen et al.
Lutron Electronics Co., Inc., RadioRA Visor Control Trans-
mitter Specification Submittal Sheet, Jan. 2002, 2 pages.

Lutron Electronics Co., Inc., RadioRA Visor Control Trans-
mitter Installation Instruction Sheet, Nov. 2001, 2 pages.

Lutron Electronics Co., Inc., Aurora Wireless Lighting Con-
trol Brochure, Nov. 2006, 2 pages.

Lutron Electronics Co., Inc., Maestro Wireless Remote
Lighting Control Brochure, Sep. 2007, 2 pages.

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8