



US00D596289S

(12) **United States Design Patent**  
**Kawamura**

(10) **Patent No.:** **US D596,289 S**

(45) **Date of Patent:** **\*\* Jul. 14, 2009**

(54) **SYRINGE BARREL NOZZLE COVER**

(75) Inventor: **Hideaki Kawamura**, Tokyo (JP)

(73) Assignee: **Daikyo Seiko, Ltd.**, Tokyo (JP)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/320,270**

(22) Filed: **Jun. 24, 2008**

(30) **Foreign Application Priority Data**

Dec. 25, 2007 (JP) ..... 2007-035368

(51) **LOC (9) Cl.** ..... **24-02**

(52) **U.S. Cl.** ..... **D24/130**

(58) **Field of Classification Search** ..... D24/130,  
D24/112, 113, 224; D19/43, 45, 49, 51,  
D19/56, 57; 600/576–577; 604/192–194,  
604/198, 222, 403, 411, 414–415; 215/DIG. 3;  
422/916

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- 3,865,236 A \* 2/1975 Rycroft ..... 206/364
- 4,634,428 A \* 1/1987 Cuu ..... 604/110
- 6,186,980 B1 \* 2/2001 Brunel ..... 604/110
- D460,178 S \* 7/2002 Courteix ..... D24/130
- D465,846 S \* 11/2002 Hwang ..... D24/130
- 7,044,125 B2 \* 5/2006 Vedrine et al. .... 128/200.19
- 7,201,742 B2 \* 4/2007 Popovsky ..... 604/263
- D565,732 S \* 4/2008 Pech et al. .... D24/130
- D581,046 S \* 11/2008 Sudo ..... D24/130
- D581,047 S \* 11/2008 Koshidaka ..... D24/130

D581,049 S \* 11/2008 Sudo ..... D24/130

\* cited by examiner

*Primary Examiner*—T. Chase Nelson

*Assistant Examiner*—Eric L Goodman

(74) *Attorney, Agent, or Firm*—The Webb Law Firm

(57) **CLAIM**

The ornamental design of a syringe barrel nozzle cover, as shown and described.

**DESCRIPTION**

FIG. 1 is a front view of a syringe barrel nozzle cover showing the new design;

FIG. 2 is a rear view of FIG. 1;

FIG. 3 is a top view of FIG. 1;

FIG. 4 is a bottom view of FIG. 1;

FIG. 5 is a left side view of FIG. 1;

FIG. 6 is a right side view of FIG. 1;

FIG. 7 is a cross-sectional view of FIG. 1 taken along line 7–7 of FIG. 6;

FIG. 8 is a cross-sectional view of FIG. 1 taken along line 8–8 of FIG. 6;


FIG. 9 is a perspective view of FIG. 1;

FIG. 10 is a cross-sectional view of FIG. 1 shown engaged with a syringe barrel; and,

FIG. 11 is an exploded cross-sectional view of FIG. 1 shown with a syringe barrel and an end cap.

The broken lines in FIGS. 10–11 represent environment and are for illustrative purposes only and do not constitute part of the claimed design.

**1 Claim, 3 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11