

US00D596318S

(12) **United States Design Patent**
Mugge et al.

(10) **Patent No.:** **US D596,318 S**
(45) **Date of Patent:** **** Jul. 14, 2009**

(54) **RETAINING WALL BLOCK**

5,183,616 A 2/1993 Hedrick
D341,215 S 11/1993 Blomquist et al.
5,372,676 A 12/1994 Lowe

(75) Inventors: **Jimmie L. Mugge**, Eagan, MN (US);
Jay J. Johnson, Star Prairie, WI (US)

(Continued)

(73) Assignee: **Anchor Wall Systems, Inc.**,
Minnetonka, MN (US)

FOREIGN PATENT DOCUMENTS

(**) Term: **14 Years**

GB 2092493 5/2000
GB 2092499 5/2000
GB 2092500 5/2000
GB 2092501 5/2000
WO WO 03/060251 7/2003

(21) Appl. No.: **29/308,773**

(22) Filed: **Jul. 3, 2008**

OTHER PUBLICATIONS

Related U.S. Application Data

Office Action in Australia (Examination Report No. 1) for corresponding AU Design Reg. 307701, dated Mar. 14, 2007.

(62) Division of application No. 29/276,599, filed on Jan. 30, 2007, now Pat. No. Des. 576,293, which is a division of application No. 29/248,240, filed on Aug. 4, 2006, now Pat. No. Des. 541,951, which is a division of application No. 29/234,175, filed on Jul. 13, 2005, now Pat. No. Des. 530,831.

Primary Examiner—T. Chase Nelson
Assistant Examiner—Anhdao Doan
(74) *Attorney, Agent, or Firm*—Merchant & Gould P.C.

(51) **LOC (9) Cl.** **25-01**

(52) **U.S. Cl.** **D25/113**

(58) **Field of Classification Search** D25/102–118,
D25/164; D21/484–491, 499–502; 405/284–286;
404/27–31, 37–39, 42; 52/503–505, 574–576,
52/596–608, 612

See application file for complete search history.

(57) **CLAIM**

The ornamental design for a retaining wall block, as shown and described.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,751,272 A 3/1930 Forman
2,313,363 A 3/1943 Schmitt
2,570,384 A 10/1951 Russell
2,819,495 A 1/1958 Krausz
D190,779 S 6/1961 Stekl
3,795,721 A 3/1974 Gilbert et al.
4,869,660 A 9/1989 Ruckstuhl
D319,885 S 9/1991 Blomquist et al.
D321,060 S 10/1991 Blomquist et al.

DESCRIPTION

FIG. 1 is a perspective view of a retaining wall block according to our new design;

FIG. 2 is a front view thereof;

FIG. 3 is a right side view thereof;


FIG. 4 is a left side view thereof;

FIG. 5 is a top view thereof; and,

FIG. 6 is a bottom view thereof.

The broken lines in the drawings are included for the purpose of illustrating a portion of the retaining wall block that forms no part of the claimed design.

1 Claim, 6 Drawing Sheets



US D596,318 S

Page 2

U.S. PATENT DOCUMENTS

5,735,094	A	4/1998	Zember				
D429,004	S	8/2000	Strand et al.				
D431,656	S	* 10/2000	Pardo	D25/113			
D437,422	S	2/2001	Bolles et al.				
D447,573	S	* 9/2001	Blomquist et al.	D25/113			
D466,619	S	12/2002	Britton				
D468,449	S	1/2003	Britton				
D477,091	S	7/2003	Manthei				
D477,419	S	* 7/2003	Manthei	D25/113			
D482,133	S	11/2003	Scherer et al.				
D500,864	S	1/2005	Klettenberg et al.				
D506,837	S	6/2005	Scherer et al.				
D511,578	S	11/2005	Mugge et al.				
D513,805	S	1/2006	Scherer et al.				
D518,578	S	4/2006	Mugge et al.				
D522,668	S	* 6/2006	Collison et al.	D25/113			
D530,435	S	* 10/2006	Collison et al.	D25/113			
2003/0126821	A1	7/2003	Scherer				
2004/0218985	A1	11/2004	Klettenberg et al.				
2005/0144883	A1	* 7/2005	Hopson et al.	52/596			

* cited by examiner




FIG. 1

FIG. 2



FIG. 3




FIG. 4




FIG. 5




FIG. 6

