



US00D596514S

(12) **United States Design Patent**  
**Luzar et al.**

(10) **Patent No.:** **US D596,514 S**  
(45) **Date of Patent:** **\*\* Jul. 21, 2009**

(54) **PERSONAL LOCATOR DEVICE**

(75) Inventors: **Jason Edward Luzar**, Fairway, KS (US); **Scott Oliver Nyhart**, Shawnee, KS (US); **Marc Alan Tappeiner**, Santa Barbara, CA (US); **Arnold Oswin Freidling**, Santa Barbara, CA (US)

(73) Assignee: **Bushnell Inc.**, Overland Park, KS (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/331,563**

(22) Filed: **Jan. 28, 2009**

(51) **LOC (9) Cl.** ..... **10-04**

(52) **U.S. Cl.** ..... **D10/65; D10/70**

(58) **Field of Classification Search** ..... D10/65, D10/70; 356/5.15, 4.01, 5.01, 5.08, 4.05, 356/5.07, 5.09, 5.12, 28.5, 345, 375, 3.01, 356/5.06, 128-155, 399, 400; 385/83, 97, 385/98, 99, 134-139; 701/211-213; 702/150, 702/185, 208; 264/1.24-1.25; 33/276, 277, 33/281, 285, 286, 290, 291-299; 340/573.1-573.4, 340/539, 825.36, 825.46, 825.49, 357.02, 340/357.07-357.09

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D346,125 S \* 4/1994 Cote et al. .... D10/65

5,894,275 A \* 4/1999 Swingle ..... 340/692  
6,302,554 B1 \* 10/2001 Holce ..... 362/84  
D459,250 S \* 6/2002 Kitamura ..... D10/65  
6,674,364 B1 \* 1/2004 Holbrook et al. .... 340/568.1  
D526,586 S \* 8/2006 McCaghren et al. .... D10/65  
7,385,502 B2 \* 6/2008 Deola ..... 340/539.21  
D575,649 S \* 8/2008 Scalisi et al. .... D10/65  
7,479,890 B2 \* 1/2009 Lehrman et al. .... 340/573.1  
2006/0006998 A1 \* 1/2006 Carlson ..... 340/539.12  
2006/0087440 A1 \* 4/2006 Klein ..... 340/573.3

\* cited by examiner

*Primary Examiner*—Antoine D Davis

(74) *Attorney, Agent, or Firm*—Spencer Fane Britt & Browne LLP


(57) **CLAIM**


The ornamental design for a personal locator device, as shown and described.

**DESCRIPTION**


FIG. 1 is an isometric view of the personal locator device; FIG. 2 is a top view of the personal locator device; FIG. 3 is a front elevation view of the personal locator device; FIG. 4 is a back elevation view of the personal locator device; FIG. 5 is a bottom view of the personal locator device; and, FIG. 6 is a side elevation view of the personal locator device.

**1 Claim, 4 Drawing Sheets**







*Fig. 1*




*Fig. 2*




*Fig. 3*



*Fig. 4*



*Fig. 5*



*Fig. 6*