



US00D596566S

(12) **United States Design Patent**  
**Li et al.**

(10) **Patent No.:** **US D596,566 S**  
(45) **Date of Patent:** **\*\* Jul. 21, 2009**

(54) **STATOR CORE FOR ELECTRIC MOTOR**

(75) Inventors: **Hu Li**, Osaka (JP); **Yuichi Yoshikawa**, Osaka (JP); **Hiroshi Murakami**, Osaka (JP); **Hideki Matsuo**, Fukui (JP); **Yuichiro Tashiro**, Fukui (JP); **Koichi Mitamura**, Fukui (JP); **Hideto Inoue**, Fukui (JP); **Reiji Tajima**, Fukui (JP); **Eiji Hataya**, Fukui (JP)

(73) Assignee: **Panasonic Corporation**, Osaka (JP)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/331,256**

(22) Filed: **Jan. 22, 2009**

(30) **Foreign Application Priority Data**

Oct. 24, 2008 (JP) ..... 2008-027385

(51) **LOC (9) Cl.** ..... **13-01**

(52) **U.S. Cl.** ..... **D13/122; D13/118**

(58) **Field of Classification Search** ..... D13/122, D13/114, 118, 199; D15/5; 29/596, 598, 29/605, 606, 607; 310/179, 180, 215-218, 310/259, 267, 268; 336/198, 200, 208  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

1,756,672 A \* 4/1930 Barr ..... 310/259  
3,783,318 A \* 1/1974 Widstrand ..... 310/216  
D287,716 S \* 1/1987 Iverson ..... D13/122  
5,095,610 A \* 3/1992 Schultz et al. .... 29/596

D443,585 S \* 6/2001 Shida et al. .... D13/122  
6,744,168 B2 \* 6/2004 Fukuda et al. .... 310/215  
6,747,388 B2 \* 6/2004 Takano et al. .... 310/217  
6,812,612 B2 \* 11/2004 Schunk et al. .... 310/218  
D522,455 S \* 6/2006 Nishimura ..... D13/122  
7,067,953 B1 \* 6/2006 Hans ..... 310/259  
D576,942 S 9/2008 Yoshikawa et al.

**FOREIGN PATENT DOCUMENTS**

JP D1332185 6/2008  
JP D1332722 6/2008  
JP D1332723 6/2008

\* cited by examiner

*Primary Examiner*—Prabhakar Deshmukh

*Assistant Examiner*—Derrick Holland

(74) *Attorney, Agent, or Firm*—Brinks Hofer Gilson & Lione

(57) **CLAIM**

We claim the ornamental design for a stator core for electric motor, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of a stator core for electric motor of the present invention;

FIG. 2 is a front view thereof;

FIG. 3 is a rear view thereof;

FIG. 4 is a first side view thereof;

FIG. 5 is a second side view thereof;

FIG. 6 is a top view thereof; and,

FIG. 7 is a bottom view thereof.

**1 Claim, 7 Drawing Sheets**




FIG. 1




FIG. 2






FIG. 3



# FIG. 4



# FIG. 5




FIG. 6




FIG. 7

