



US00D596623S

(12) **United States Design Patent**
Laine

(10) **Patent No.:** **US D596,623 S**
(45) **Date of Patent:** **** Jul. 21, 2009**

(54) **INPUT DEVICE**

(75) Inventor: **Aki Laine**, Santa Monica, CA (US)

(73) Assignee: **Nokia Corporation**, Espoo (FI)

(**) Term: **14 Years**

(21) Appl. No.: **29/317,294**

(22) Filed: **Apr. 25, 2008**

(51) **LOC (9) Cl.** **14-03**

(52) **U.S. Cl.** **D14/218; D14/223**

(58) **Field of Classification Search** D14/218,
D14/223, 301, 313, 348-349, 351-358, 363,
D14/368, 370, 432-436, 496, 136-137, 155-156,
D14/167-168, 240, 242, 299, 411, 384-385,
D14/518, 402; D13/184, 199; 379/433.05,
379/433.06, 433.07; 381/374, 382, 384;
455/569.1, 575.1, 92

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D244,213 S * 5/1977 Besasie D14/223
- D244,301 S * 5/1977 Besasie D14/223
- D282,162 S * 1/1986 Grimes D14/214
- D283,405 S * 4/1986 Yuen D10/78
- D314,556 S * 2/1991 Aggson D13/199
- D473,217 S * 4/2003 Rivera D14/223
- D490,068 S * 5/2004 Chen D14/203.3
- D496,653 S * 9/2004 Townsend et al. D14/240
- D500,309 S * 12/2004 Borsboom D14/218
- D501,846 S * 2/2005 De Saulles D14/218
- D512,043 S * 11/2005 Yagi D14/167
- D535,307 S * 1/2007 Yagi D15/136
- D546,837 S * 7/2007 Yeo D14/496
- D556,210 S * 11/2007 Choi et al. D14/496

- D573,577 S * 7/2008 Huang D14/155
- D577,039 S * 9/2008 Shin et al. D14/496
- D577,713 S * 9/2008 Kim et al. D14/218
- D577,715 S * 9/2008 Lim et al. D14/240
- 2005/0009556 A1 * 1/2005 Hickey et al. 455/550.1

OTHER PUBLICATIONS

Nokia Europe—Nokia Stereo Headset WH-501—Overview, [online], [retrieved on Mar. 23, 2009]. Retrieved from the Internet <URL: http://europe.nokia.com/link?cid=EDITORIAL_994371>.*

* cited by examiner

Primary Examiner—Cathron C Brooks

Assistant Examiner—Karen E Kearney

(74) *Attorney, Agent, or Firm*—Banner & Witcoff, Ltd.

(57) **CLAIM**

The ornamental design for an input device, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a first embodiment of an input device showing my new design;

FIG. 2 is a front view thereof;

FIG. 3 is a rear view thereof;

FIG. 4 is a right side view thereof;

FIG. 5 is a left side view thereof;


FIG. 6 is a top view thereof;

FIG. 7 is a bottom view thereof; and,

FIG. 8 is a rear perspective view.

The broken line showing of the environmental structure of the input device in FIGS. 1-8 is for illustrative purposes only and forms no part of the claimed design.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8