



US00D596812S

(12) **United States Design Patent**
Sicken et al.

(10) **Patent No.:** **US D596,812 S**
(45) **Date of Patent:** **** Jul. 21, 2009**

(54) **COMBINED PET STEP AND RAMP**

(75) Inventors: **Matthew J. Sicken**, Southfield, MI
(US); **Anthony X. Drumm**, Rockwood,
MI (US); **Kevin L. Hiner**, Canton, MI
(US); **David M. Minkley**, Chesterfield,
MI (US)

(73) Assignee: **Polymerica Limited Company**, El Paso,
TX (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/303,396**

(22) Filed: **Feb. 7, 2008**

(51) **LOC (9) Cl.** **30-99**

(52) **U.S. Cl.** **D30/199**

(58) **Field of Classification Search** D30/199,
D30/119, 160, 108, 118, 158, 161; 119/847,
119/706-711, 28.5, 165, 702, 485, 498; D25/63,
D25/65, 62; 182/1, 20, 200, 33, 107, 230,
182/129, 106, 93, 95, 115, 113, 151, 35;
248/188.2; 52/182, 184, 188, 190; 114/362;
14/71.1, 69.5; 193/2 R, 33; D6/349-350;
D12/203; 280/166; 296/156; 105/443, 447,
105/448; 297/118

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,159,141 A * 12/1964 Paterek 119/706
3,618,568 A * 11/1971 Breeden 119/482
3,743,281 A * 7/1973 Gimbel 472/116
3,891,053 A * 6/1975 Burton 182/97
4,848,515 A * 7/1989 Rinke 182/20
4,991,691 A * 2/1991 Brawer et al. 182/106
5,263,551 A * 11/1993 Andersen 182/200
5,634,440 A * 6/1997 Mogck 119/847
6,000,494 A * 12/1999 Wilson 182/93

D449,895 S * 10/2001 Wilson D25/63
6,397,529 B1 * 6/2002 Grenier 52/182
6,598,562 B1 * 7/2003 Dutkiewicz et al. 119/706
D482,458 S * 11/2003 Limber D25/65
6,764,123 B1 * 7/2004 Bilyard 296/61
6,941,889 B1 * 9/2005 McCrocklin et al. 114/362
7,000,753 B2 * 2/2006 Cavallaro, Jr. 193/2 R
7,011,036 B1 * 3/2006 Hill 114/362
2007/0131178 A1 * 6/2007 Edgar 119/847
2007/0289556 A1 * 12/2007 Hoffman et al. 119/847
2008/0302312 A1 * 12/2008 Steffey et al. 119/849

* cited by examiner

Primary Examiner—Susan Moon Lee

(74) *Attorney, Agent, or Firm*—Honigman Miller Schwartz &
Cohn LLP

(57) **CLAIM**

We claim the ornamental design for a combined pet step and
ramp, as shown and described.

DESCRIPTION

FIG. 1 is a front isometric view of the “step” side of the
combined pet step and ramp of the present invention.

FIG. 2 is a front isometric view of the “ramp” side of the
combined pet step and ramp.

FIG. 3 is a front elevational view of the combined pet step and
ramp from the position shown in FIG. 1.


FIG. 4 is a front elevational view of the combined pet step and
ramp from the position shown in FIG. 2.

FIG. 5 is a right side elevational view of the combined pet step
and ramp from the position shown in FIG. 1.

FIG. 6 is a top view of the combined pet step and ramp from
the position shown in FIG. 1; and,

FIG. 7 is a top view of the combined pet step and ramp from
the position shown in FIG. 2.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7