



US00D596855S

(12) **United States Design Patent**
Orion et al.

(10) **Patent No.:** **US D596,855 S**
(45) **Date of Patent:** **** Jul. 28, 2009**

(54) **CAMCORDER WRAP**

6,604,618 B1 8/2003 Godshaw et al.
6,681,936 B2 * 1/2004 Godshaw et al. 206/581

(75) Inventors: **Storm Orion**, Pittsburgh, PA (US);
Justin Kuntz, Pittsburgh, PA (US)

(Continued)

(73) Assignee: **Sima Products Corporation**, Oakmont,
PA (US)

FOREIGN PATENT DOCUMENTS

FR 2852498 9/2004

(**) Term: **14 Years**

Primary Examiner—Celia A Murphy

(21) Appl. No.: **29/320,176**

(74) *Attorney, Agent, or Firm*—Buchanan Ingersoll &
Rooney PC

(22) Filed: **Jun. 23, 2008**

(57) **CLAIM**

(51) **LOC (9) Cl.** **03-01**

The ornamental design for a camcorder wrap, as shown and
described.

(52) **U.S. Cl.** **D3/267; D3/263**

(58) **Field of Classification Search** D3/1,
D3/202, 219, 233, 243, 263, 265, 267, 268,
D3/276, 269; 224/908, 673; 206/316.1,
206/316.2; 248/187.1; 292/DIG. 48
See application file for complete search history.

DESCRIPTION

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 2,473,292 A * 6/1949 Nathan 206/5
- 2,586,954 A * 2/1952 Juliano 396/423
- 2,723,745 A * 11/1955 McNeill 206/5
- 3,704,848 A * 12/1972 Trebes et al. 248/163.1
- D237,561 S * 11/1975 Kesner D3/219
- 4,027,318 A * 5/1977 Knapp 396/419
- 4,131,147 A * 12/1978 Schrage 206/316.2
- 4,316,592 A * 2/1982 Jett 248/187.1
- 4,899,189 A * 2/1990 Frost 396/419
- D306,798 S * 3/1990 McVey D3/215
- D308,598 S * 6/1990 Burchett D3/265
- 4,979,709 A * 12/1990 Ishikawa 248/187.1
- 4,984,682 A * 1/1991 Cummins 206/5
- D361,660 S * 8/1995 Booth et al. D3/265
- 5,445,266 A * 8/1995 Prete et al. 206/320
- D367,758 S * 3/1996 Pernela D3/267
- D394,155 S * 5/1998 Miyahara D3/267
- 6,079,528 A 6/2000 Moor
- D472,372 S * 4/2003 Hassett D3/218

FIG. 1 is a left side view of our camcorder wrap in a wrapped
position;

FIG. 2 is a right side view of our camcorder wrap in a wrapped
position;

FIG. 3 is a front view of our camcorder wrap in a wrapped
position;

FIG. 4 is a rear view of our camcorder wrap in a wrapped
position;

FIG. 5 is a top view of our camcorder wrap in a wrapped
position;


FIG. 6 is a bottom view of our camcorder wrap in a wrapped
position;

FIG. 7 is a plan view illustrating the interior of the camcorder
wrap in an unwrapped position; and,

FIG. 8 is a plan view illustrating the exterior of the camcorder
wrap in an unwrapped position.

The broken line showing a portion of a camera illustrates the
portion of the design that forms no part of the claim. The
broken lines shown around the periphery of the wrap and
around the rectangular shape on the interior of the wrap
represent stitching.

1 Claim, 4 Drawing Sheets



US D596,855 S

Page 2

U.S. PATENT DOCUMENTS

D485,987 S *	2/2004	Hassett	D3/267	D549,446 S *	8/2007	Lown et al.	D3/202
D498,920 S *	11/2004	Ambrose	D3/219	7,290,740 B2 *	11/2007	Joy et al.	248/187.1
6,871,739 B2	2/2005	Lopez		2003/0221924 A1 *	12/2003	Tong	190/107
D507,875 S *	8/2005	Hillman	D3/267	2005/0067319 A1	3/2005	Wei	
D515,588 S	2/2006	Kirkwood		2007/0051766 A1	3/2007	Spencer	
D531,409 S	11/2006	Tullmann et al.					

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8