

US00D596855S

(12) **United States Design Patent**
Orion et al.

(10) **Patent No.:** **US D596,855 S**
(45) **Date of Patent:** **** Jul. 28, 2009**

(54) **CAMCORDER WRAP**

6,604,618 B1 8/2003 Godshaw et al.
6,681,936 B2 * 1/2004 Godshaw et al. 206/581

(75) Inventors: **Storm Orion**, Pittsburgh, PA (US);
Justin Kuntz, Pittsburgh, PA (US)

(Continued)

(73) Assignee: **Sima Products Corporation**, Oakmont,
PA (US)

FOREIGN PATENT DOCUMENTS

FR 2852498 9/2004

(**) Term: **14 Years**

Primary Examiner—Celia A Murphy

(21) Appl. No.: **29/320,176**

(74) *Attorney, Agent, or Firm*—Buchanan Ingersoll &
Rooney PC

(22) Filed: **Jun. 23, 2008**

(57) **CLAIM**

(51) **LOC (9) Cl.** **03-01**

The ornamental design for a camcorder wrap, as shown and
described.

(52) **U.S. Cl.** **D3/267; D3/263**

(58) **Field of Classification Search** D3/1,

D3/202, 219, 233, 243, 263, 265, 267, 268,

D3/276, 269; 224/908, 673; 206/316.1,

206/316.2; 248/187.1; 292/DIG. 48

See application file for complete search history.

DESCRIPTION

FIG. 1 is a left side view of our camcorder wrap in a wrapped
position;

FIG. 2 is a right side view of our camcorder wrap in a wrapped
position;

FIG. 3 is a front view of our camcorder wrap in a wrapped
position;

FIG. 4 is a rear view of our camcorder wrap in a wrapped
position;

FIG. 5 is a top view of our camcorder wrap in a wrapped
position;

FIG. 6 is a bottom view of our camcorder wrap in a wrapped
position;

FIG. 7 is a plan view illustrating the interior of the camcorder
wrap in an unwrapped position; and,

FIG. 8 is a plan view illustrating the exterior of the camcorder
wrap in an unwrapped position.


The broken line showing a portion of a camera illustrates the
portion of the design that forms no part of the claim. The
broken lines shown around the periphery of the wrap and
around the rectangular shape on the interior of the wrap
represent stitching.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,473,292	A *	6/1949	Nathan	206/5
2,586,954	A *	2/1952	Juliano	396/423
2,723,745	A *	11/1955	McNeill	206/5
3,704,848	A *	12/1972	Trebes et al.	248/163.1
D237,561	S *	11/1975	Kesner	D3/219
4,027,318	A *	5/1977	Knapp	396/419
4,131,147	A *	12/1978	Schrage	206/316.2
4,316,592	A *	2/1982	Jett	248/187.1
4,899,189	A *	2/1990	Frost	396/419
D306,798	S *	3/1990	McVey	D3/215
D308,598	S *	6/1990	Burchett	D3/265
4,979,709	A *	12/1990	Ishikawa	248/187.1
4,984,682	A *	1/1991	Cummins	206/5
D361,660	S *	8/1995	Booth et al.	D3/265
5,445,266	A *	8/1995	Prete et al.	206/320
D367,758	S *	3/1996	Pernela	D3/267
D394,155	S *	5/1998	Miyahara	D3/267
6,079,528	A	6/2000	Moor	
D472,372	S *	4/2003	Hassett	D3/218

1 Claim, 4 Drawing Sheets



US D596,855 S

Page 2

U.S. PATENT DOCUMENTS

D485,987 S *	2/2004	Hassett	D3/267	D549,446 S *	8/2007	Lown et al.	D3/202
D498,920 S *	11/2004	Ambrose	D3/219	7,290,740 B2 *	11/2007	Joy et al.	248/187.1
6,871,739 B2	2/2005	Lopez		2003/0221924 A1 *	12/2003	Tong	190/107
D507,875 S *	8/2005	Hillman	D3/267	2005/0067319 A1	3/2005	Wei	
D515,588 S	2/2006	Kirkwood		2007/0051766 A1	3/2007	Spencer	
D531,409 S	11/2006	Tullmann et al.					

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8