



US00D597090S

(12) **United States Design Patent**  
**Bemelmans**

(10) **Patent No.:** **US D597,090 S**  
(45) **Date of Patent:** **\*\* Jul. 28, 2009**

(54) **HANDHELD COMMUNICATION DEVICE**

**DESCRIPTION**

(75) Inventor: **David Johannes Elisabeth Bemelmans**,  
Eindhoven (NL)

(73) Assignee: **Polymer Vision Limited**, Eindhoven  
(NL)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/282,411**

(22) Filed: **Jul. 19, 2007**

(51) **LOC (9) Cl.** ..... **14-02**

(52) **U.S. Cl.** ..... **D14/341**

(58) **Field of Classification Search** ..... D14/341-346,  
D14/315-327, 342; D18/1, 2, 7; D19/59,  
D19/60; 235/145 A, 145 R; 341/22, 23;  
345/104, 156, 168, 169, 172, 173, 87; 439/165,  
439/12; 178/18.03; 434/201; 708/105  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D386,751 S \* 11/1997 Michael, III ..... D14/346  
D491,942 S \* 6/2004 Takahashi ..... D14/374  
D556,193 S \* 11/2007 Laituri et al. .... D14/345

\* cited by examiner

*Primary Examiner*—Cathron C Brooks

*Assistant Examiner*—Barbara Fox

(74) *Attorney, Agent, or Firm*—Leydig, Voit & Mayer, Ltd

(57) **CLAIM**

I claim the ornamental design for a handheld communication device, as shown and described.

FIG. 1 is a perspective view of a handheld communication device with the display in a closed position according to the present invention.

FIG. 2 is a bottom plan view of the handheld communication device of FIG. 1.

FIG. 3 is a front end view of the handheld communication device of FIG. 1.

FIG. 4 is a rear end view of the handheld communication device of FIG. 1.

FIG. 5 is a first side elevational view of the handheld communication device of FIG. 1.

FIG. 6 is a top plan view of the handheld communication device of FIG. 1.

FIG. 7 is a second side elevational view of the handheld communication device of FIG. 1.

FIG. 8 is a perspective view of the handheld communication device of FIG. 1 in an open position.

FIG. 9 is a bottom plan view of the handheld communication device of FIG. 1 in an open position.

FIG. 10 is a front end view of the handheld communication device of FIG. 1 in an open position.

FIG. 11 is a rear end view of the handheld communication device of FIG. 1 in an open position.

FIG. 12 is a first side elevational view of the handheld communication device of FIG. 1 in an open position.

FIG. 13 is a top plan view of the handheld communication device of FIG. 1 in an open position; and,

FIG. 14 is a second side elevational view of the handheld communication device of FIG. 1 in an open position.

**1 Claim, 4 Drawing Sheets**





FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14

