



US00D597135S

(12) **United States Design Patent**
Takanashi

(10) **Patent No.:** **US D597,135 S**
(45) **Date of Patent:** **** Jul. 28, 2009**

(54) **PEN**
(75) Inventor: **Kazuhiko Takanashi**, Tokyo (JP)
(73) Assignee: **Mitsubishi Pencil Co., Ltd.**, Tokyo (JP)
(**) Term: **14 Years**
(21) Appl. No.: **29/290,921**
(22) Filed: **Jan. 30, 2008**
(30) **Foreign Application Priority Data**
Jul. 31, 2007 (JP) 2007-020865

D558,269 S * 12/2007 Takanashi D19/49
D559,318 S * 1/2008 Qiu et al. D19/51
D575,822 S * 8/2008 Rolion et al. D19/50
D576,675 S * 9/2008 Kent et al. D19/49
D579,049 S * 10/2008 Martin D19/51

FOREIGN PATENT DOCUMENTS

EM 000623616-0002 1/2007
HK 0800327.1 * 4/2008
JP D1165796 S 2/2003
JP D1304350 S 6/2007
TW D106484 S 9/2005
TW D106667 S 9/2005

* cited by examiner

Primary Examiner—Caron Veynar
Assistant Examiner—Karen E Eldridge Powers
(74) *Attorney, Agent, or Firm*—Foley & Lardner LLP

(51) **LOC (9) Cl.** **19-06**
(52) **U.S. Cl.** **D19/50**
(58) **Field of Classification Search** D14/411,
D14/431; D19/35, 36, 41, 42, 44, 45, 46,
D19/43, 47, 48, 49, 50, 51, 54, 55, 56, 57;
24/11 F, 11 P, 11 R; 401/6, 52, 99, 100,
401/104, 105, 106, 107, 108, 109, 192, 195,
401/243, 244, 245, 246, 247; 708/107
See application file for complete search history.

(57) **CLAIM**

The ornamental design for a pen, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a pen showing my new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a right side elevational view thereof; the left side
elevational view is a mirror image of the right side;
FIG. 5 is a top plan view thereof; and,
FIG. 6 is a bottom plan view thereof.

The broken lines showing the cap, the rear portion of the barrel, and the conical portion of the pen from which the writing tip of the pen extends, as well as a series of diagonal striations on the grip of the claimed design, illustrate environmental matter and form no part of the claimed design.

1 Claim, 3 Drawing Sheets

(56) **References Cited**
U.S. PATENT DOCUMENTS
D190,349 S * 5/1961 Doman D19/57
D444,498 S 7/2001 Izushima
D448,047 S * 9/2001 Lewis, Jr. D19/47
D453,792 S * 2/2002 Tung D19/43
D482,067 S * 11/2003 Yang D19/50
D488,507 S 4/2004 Finney et al.
D491,224 S 6/2004 Hsieh
D492,349 S * 6/2004 Qiu D19/50
D496,961 S * 10/2004 Daida D19/43
D499,447 S * 12/2004 Hui-Kuo D19/36
D500,337 S * 12/2004 Tsuchida D19/36
D538,343 S * 3/2007 Morton et al. D19/50
D539,845 S * 4/2007 Hamilton et al. D19/50




Fig. 1




Fig. 2



Fig. 3




Fig. 4




Fig. 5




Fig. 6

