



US00D597385S

(12) **United States Design Patent**
Coppo

(10) **Patent No.:** **US D597,385 S**
(45) **Date of Patent:** **** Aug. 4, 2009**

- (54) **SPOON**
- (75) Inventor: **Pierluigi Coppo**, Milan (IT)
- (73) Assignee: **Sambonet Palermo Industrie S.p.A.**
(IT)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/312,067**
- (22) Filed: **Sep. 29, 2008**
- (51) **LOC (9) Cl.** **07-03**
- (52) **U.S. Cl.** **D7/653**
- (58) **Field of Classification Search** D7/300.2,
D7/368, 395, 401.2, 642-646, 649-654, 660-669,
D7/675-676, 683, 688-692, 695-696; D10/57;
D24/147; 30/137, 141-143, 147-150, 322-327,
30/329, 340, 342-346; 416/70 R
See application file for complete search history.

| | | |
|--------------|---------|----------------------------|
| D478,482 S | 8/2003 | Berard et al. |
| D491,025 S | 6/2004 | Welch |
| D492,549 S | 7/2004 | Welch |
| D497,083 S | 10/2004 | Welch |
| D503,540 S | 4/2005 | Barber |
| D512,607 S | 12/2005 | Bodum |
| D540,627 S | 4/2007 | Tarrerias |
| D544,317 S * | 6/2007 | Shane-Schuldt D7/653 |
| D546,135 S | 7/2007 | Ricks |
| D546,137 S | 7/2007 | Junko |
| D549,055 S | 8/2007 | Shane-Schuldt |
| D558,533 S | 1/2008 | de Bretton Gordon |
| D565,362 S | 4/2008 | Ito |
| D572,088 S | 7/2008 | de Bretton Gordon |
| D575,116 S | 8/2008 | Williams |
| D575,998 S | 9/2008 | de Bretton Gordon |
| D578,357 S | 10/2008 | Shane-Schuldt |
| D579,730 S | 11/2008 | Williams |

* cited by examiner

Primary Examiner—Caron Veynar
Assistant Examiner—Ricky Pham
(74) *Attorney, Agent, or Firm*—Hedman & Costigan, PC;
Kathleen A. Costigan

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | |
|--------------|---------|----------------------------|
| D84,654 S | 7/1931 | Saارين |
| D104,467 S | 5/1937 | O'Donnell |
| D110,283 S | 6/1938 | Goodrich |
| D142,714 S | 10/1945 | Helander |
| D145,144 S | 7/1946 | Price |
| D180,464 S | 6/1957 | Weeber |
| D181,450 S | 11/1957 | Barata et al. |
| D198,908 S | 8/1964 | Hanh |
| 4,147,918 A | 4/1979 | Ritter et al. |
| D254,947 S | 5/1980 | Knope |
| D334,118 S | 3/1993 | Gebhardt |
| D367,406 S * | 2/1996 | Ancona D7/692 |
| D368,209 S * | 3/1996 | Decker D7/653 |
| D402,500 S | 12/1998 | Welch |
| D423,875 S | 5/2000 | Toffolon |
| D424,954 S * | 5/2000 | Chambers D10/57 |
| D438,305 S * | 2/2001 | Ripich et al. D24/147 |
| D455,936 S | 4/2002 | Welch |


(57) **CLAIM**

The ornamental design for a spoon, as shown.

DESCRIPTION

FIG. 1 is a top and right side perspective view of a spoon showing my new design;
FIG. 2 is a top plan view thereof;
FIG. 3 is a bottom plan view thereof;
FIG. 4 is a left side elevational view thereof,
FIG. 5 is a right side elevational view thereof;
FIG. 6 is a front elevational view thereof; and,
FIG. 7 is a back elevational view thereof.

1 Claim, 7 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7