

US00D597478S

(12) **United States Design Patent**  
**Scheuren et al.**

(10) **Patent No.:** **US D597,478 S**

(45) **Date of Patent:** **\*\* Aug. 4, 2009**

(54) **TIRE**

D559,170 S \* 1/2008 Fukunaga ..... D12/596  
D585,817 S \* 2/2009 Frappart ..... D12/584  
D586,732 S \* 2/2009 Heinen et al. .... D12/582

(75) Inventors: **Daniel Scheuren**, Arlon (BE); **Agnès Nathalie Iwana Ensich**, Arlon (BE)

\* cited by examiner

(73) Assignee: **The Goodyear Tire & Rubber Company**, Akron, OH (US)

*Primary Examiner*—Stacia Cadmus  
(74) *Attorney, Agent, or Firm*—Richard B. O’Planick

(\*\*) Term: **14 Years**

(57) **CLAIM**

(21) Appl. No.: **29/325,364**

The ornamental design for a tire, as shown and described.

(22) Filed: **Sep. 30, 2008**

**DESCRIPTION**

(51) **LOC (9) Cl.** ..... **12-15**

(52) **U.S. Cl.** ..... **D12/584; D12/900**

(58) **Field of Classification Search** ..... D12/515–518,  
D12/547–550, 553, 582–588, 603, 900–901;  
152/209.1, 209.8–209.18, 209.25–209.28  
See application file for complete search history.

FIG. 1 is a perspective view of a tire showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a right side elevational view thereof; the opposite side elevational view being identical thereto;

FIG. 4 is an enlarged fragmentary front elevational view thereof;

(56) **References Cited**

**U.S. PATENT DOCUMENTS**


D294,238 S	2/1988	Premont	.....	D12/144
D325,012 S	3/1992	Covert et al.	.....	D12/147
D325,014 S	3/1992	Galante et al.	.....	D12/147
D326,075 S	5/1992	Covert et al.	.....	D12/147
D384,604 S *	10/1997	Ohya	.....	D12/900
D388,036 S	12/1997	Labbe et al.	.....	D12/147
D389,788 S *	1/1998	Galante et al.	.....	D12/597
D397,971 S *	9/1998	Horie et al.	.....	D12/597
D403,284 S	12/1998	Le	.....	D12/151
D415,985 S	11/1999	Le et al.	.....	D12/151
D431,801 S	10/2000	Poling	.....	D12/151
D437,266 S	2/2001	Poling et al.	.....	D12/146
D444,430 S *	7/2001	Welbes et al.	.....	D12/603
D450,271 S *	11/2001	Wallet et al.	.....	D12/585
D456,345 S *	4/2002	Bawin et al.	.....	D12/583
D477,566 S *	7/2003	Nonaka	.....	D12/900
D515,024 S	2/2006	Russell et al.	.....	D12/588

FIG. 5 is a perspective view of a second embodiment of a tire showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread and that the opposite side perspective view is identical thereto; and,

FIG. 6 is a front elevational view of a second embodiment, it being understood that an enlarged fragmentary view thereof would be substantially identical to that shown in FIG. 4, with the exception of the inclusion of the sidewall in solid lines.

In the drawings, the broken line showing of the sidewall, inner bead and the peripheral boundary between the tire tread and the sidewall in FIGS. 1 through 4 depict environmental subject matter and form no part of the claimed design.

**1 Claim, 6 Drawing Sheets**






FIG-1




FIG-2




FIG-3




FIG-4




FIG-5




FIG-6