



US00D597541S

(12) **United States Design Patent**  
**Kazma et al.**

(10) **Patent No.:** **US D597,541 S**  
(45) **Date of Patent:** **\*\* Aug. 4, 2009**

(54) **COMMUNICATION DEVICE**

(75) Inventors: **Shlomo Kazma**, Petah Tikva (IL);  
**Reuven-Yosef Filman**, Natanya (IL);  
**Carol Ronen**, Tel Aviv-Yaffo (IL);  
**Timothy J. Sweeney**, Austin, TX (US)

(73) Assignee: **Motorola, Inc.**, Schaumburg, IL (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/323,706**

(22) Filed: **Aug. 29, 2008**

(51) **LOC (9) Cl.** ..... **14-02**

(52) **U.S. Cl.** ..... **D14/341**

(58) **Field of Classification Search** ..... D14/496,  
D14/401, 435, 474, 483, 217, 137, 138, 160,  
D14/168, 203.1–203.8, 341–347, 138 R,  
D14/138 C, 138 G, 454, 439, 455, 456, 192,  
D14/239, 247, 315, 327, 331, 336, 338, 339,  
D14/374, 393, 394, 399, 400, 429, 432, 125,  
D14/126, 129, 130, 314; D21/324, 329,  
D21/330, 331, 333; D18/7; D10/32, 65;  
455/556.1, 556.2, 11.1, 773, 344–347, 93,  
455/95; 379/433.01, 433.07, 433.1, 433.11,  
379/433.12, 433.13, 52; 345/169, 156, 173–179,  
345/905; 348/14.02, 790; 341/22; 361/680;  
273/148 B; 368/281; 715/727–729, 864;  
370/342–344; 369/1, 2, 6, 12; 463/43–47

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D504,427 S \* 4/2005 Hsu Li ..... D14/371  
D525,973 S \* 8/2006 Julian et al.  
D541,769 S \* 5/2007 Hoehn et al. .... D14/126  
D547,282 S \* 7/2007 Hsiung ..... D14/129  
D547,284 S \* 7/2007 Hsiung ..... D14/129  
D548,207 S \* 8/2007 Hsiung ..... D14/129

D551,196 S \* 9/2007 Hsiung ..... D14/129  
D556,161 S \* 11/2007 Hsiung ..... D14/129  
D561,137 S \* 2/2008 Hsiung ..... D14/129  
D571,560 S \* 6/2008 Liu et al. .... D6/300  
D572,675 S \* 7/2008 Qiu et al. .... D14/126

\* cited by examiner

*Primary Examiner*—Barbara Fox

(74) *Attorney, Agent, or Firm*—Barbara R. Doutre

(57) **CLAIM**

The ornamental design for a communication device, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a communication device showing the claimed design;

FIG. 2 is a front view thereof;

FIG. 3 is a rear view thereof;

FIG. 4 is a first side view thereof;

FIG. 5 is a second side view thereof;

FIG. 6 is a top view thereof; and

FIG. 7 is a bottom view thereof.

FIG. 8 is a perspective view of the communication device of FIG. 1, showing the compartment in an open position;

FIG. 9 is a front view thereof;

FIG. 10 is a rear view thereof;

FIG. 11 is a first side view thereof;


FIG. 12 is a second side view thereof;

FIG. 13 is a top view thereof; and,

FIG. 14 is a bottom view thereof.

The broken lines shown in the drawings are for the purpose of illustrating unclaimed portions of the communication device and form no part of the claimed design.

**1 Claim, 10 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9






FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14