



US00D597589S

(12) **United States Design Patent**  
**Onishi**

(10) **Patent No.:** **US D597,589 S**  
(45) **Date of Patent:** **\*\* Aug. 4, 2009**

(54) **ELECTRONIC CYMBAL**

(75) Inventor: **Tamie Onishi**, Hamamatsu (JP)

(73) Assignee: **Yamaha Corporation**, Hamamatsu-shi (JP)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/321,244**

(22) Filed: **Jul. 14, 2008**

(30) **Foreign Application Priority Data**

Jan. 16, 2008 (JP) ..... 2008-000629

(51) **LOC (9) Cl.** ..... **17-04**

(52) **U.S. Cl.** ..... **D17/22**

(58) **Field of Classification Search** ..... D17/22,  
D17/99; 84/104, 106, 107, 108, 411 R, 415,  
84/419, 420, 411 P, 414, 422.3, DIG. 12  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

641,028 A \* 1/1900 Meehan ..... 454/367  
D301,893 S \* 6/1989 Hargrove ..... D17/22  
D455,775 S \* 4/2002 Fukuoka et al. .... D17/22  
D526,001 S \* 8/2006 Scharte ..... D17/22

**FOREIGN PATENT DOCUMENTS**

JP 11184459 A \* 7/1999

\* cited by examiner

*Primary Examiner*—Ian Simmons

*Assistant Examiner*—R. Johnson

(74) *Attorney, Agent, or Firm*—Sughrue Mion, PLLC

(57) **CLAIM**

The ornamental design for a electronic cymbal, as shown and described.

**DESCRIPTION**

FIG. 1 is a top perspective view of the electronic cymbal of the present invention;

FIG. 2 is a top view thereof;

FIG. 3 is a first side view thereof;

FIG. 4 is a second side view thereof;



FIG. 5 is a third side view thereof;


FIG. 6 is a fourth side view thereof; and,

FIG. 7 is a bottom view thereof.

The broken line showing of surfaces in FIG. 7 is for the purpose of illustrating environmental structure only, and forms no part of the claimed design.

**1 Claim, 4 Drawing Sheets**





*FIG. 1*




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7