



US00D597668S

(12) **United States Design Patent**  
**Woodruff et al.**

(10) **Patent No.:** **US D597,668 S**

(45) **Date of Patent:** **\*\* Aug. 4, 2009**

(54) **HAND PIECE SWITCH ADAPTOR**

(75) Inventors: **Scott A. Woodruff**, Loveland, OH (US);  
**Matthew C. Miller**, Cincinnati, OH  
(US); **Mark A. Neurohr**, Newport, KY  
(US); **Cory G. Kimball**, Cincinnati, OH  
(US); **Shawn C. Snyder**, Greendale, IN  
(US)

(73) Assignee: **Ethicon Endo-Surgery, Inc.**, Cincinnati,  
OH (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/298,728**

(22) Filed: **Dec. 12, 2007**

(51) **LOC (9) Cl.** ..... **24-01**

(52) **U.S. Cl.** ..... **D24/133; D24/144**

(58) **Field of Classification Search** ..... D24/133,  
D24/144; D13/168, 158, 164; D10/49, 104;  
D14/192, 218, 426, 432, 433; 200/293, 293.1,  
200/332.2; 606/42, 51, 32, 170, 39, 41, 45  
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D341,200	S	*	11/1993	Yoshimoto	.....	D24/133
D363,129	S	*	10/1995	Landers et al.	.....	D24/200
D429,526	S	*	8/2000	Sullivan et al.	.....	D24/133
D433,752	S	*	11/2000	Saravia	.....	D24/144
D457,955	S	*	5/2002	Bilitz	.....	D24/133
D462,667	S		9/2002	Donofrio et al.		
D465,279	S	*	11/2002	Etter et al.	.....	D24/133
6,558,402	B1	*	5/2003	Chelak et al.	.....	606/182
6,623,500	B1		9/2003	Cook et al.		

D481,132	S	*	10/2003	Kim	.....	D24/200
D486,127	S		2/2004	Donofrio et al.		
6,755,825	B2	*	6/2004	Shoenman et al.	.....	606/45
D511,145	S		11/2005	Donofrio et al.		
7,273,483	B2	*	9/2007	Wiener et al.	.....	606/169
D555,241	S	*	11/2007	Nakanishi	.....	D24/133
D560,803	S	*	1/2008	Tasse et al.	.....	D24/133

\* cited by examiner

*Primary Examiner*—Ian Simmons

*Assistant Examiner*—Anna J Burmeister

(57) **CLAIM**

The ornamental design for a hand piece switch adaptor, as shown and described.

**DESCRIPTION**

FIG. 1 depicts a perspective view of embodiment 1 of a hand piece switch adaptor, showing our new design;

FIG. 2 depicts a top view of the design of FIG. 1;

FIG. 3 depicts a side view of the design of FIG. 1;

FIG. 4 depicts a bottom view of the design of FIG. 1;

FIG. 5 depicts a front view of the design of FIG. 1;

FIG. 6 depicts a back view of the design of FIG. 1;

FIG. 7 depicts a perspective view of embodiment 2 of a hand piece switch adaptor, showing our new design;

FIG. 8 depicts a top view of the design of FIG. 7;



FIG. 9 depicts a side view of the design of FIG. 7;

FIG. 10 depicts a bottom view of the design of FIG. 7;


FIG. 11 depicts a front view of the design of FIG. 7; and,

FIG. 12 depicts a back view of the design of FIG. 7.


**1 Claim, 6 Drawing Sheets**




**FIG. 1**




**FIG. 2**




**FIG. 3**




**FIG. 4**




***FIG. 5***




***FIG. 6***




**FIG. 7**




**FIG. 8**




**FIG. 9**



**FIG. 10**



**FIG. 11**



**FIG. 12**

