



US00D597829S

(12) **United States Design Patent**
Ma et al.

(10) **Patent No.:** **US D597,829 S**
(45) **Date of Patent:** **** Aug. 11, 2009**

(54) **WIRELESS COMMUNICATION DEVICE PACKAGE**

4,905,832 A * 3/1990 Boll et al. 206/470
D316,673 S * 5/1991 Rysner et al. D9/415
D361,510 S * 8/1995 Jordan et al. D9/415

(75) Inventors: **Cho-Hyang Ma**, Yongin-si (KR);
Hyun-Ho Shin, Seongnam-si (KR)

OTHER PUBLICATIONS

Modern Packaging Encyclopedia and Planning Guide 1972/73, vol. 45, No. 12A-1) p. 133: carton in second row indicated by arrow "A"; and 2) p. 134: Carton in bottom row indicated by arrow "B".*

(73) Assignee: **Samsung Electronics Co., Ltd.**,
Suwon-Si (KR)

* cited by examiner

(**) Term: **14 Years**

Primary Examiner—Catherine Tuttle

(21) Appl. No.: **29/324,756**

(74) *Attorney, Agent, or Firm*—Staas & Halsey LLP

(22) Filed: **Sep. 19, 2008**

(57) **CLAIM**

(30) **Foreign Application Priority Data**

The ornamental design for a wireless communication device package, as shown and described.

Jun. 12, 2008 (KR) 30-2008-0025026

DESCRIPTION

(51) **LOC (9) Cl.** **09-03**

FIG. 1 is a front perspective view of the wireless communication device package showing our new design;

(52) **U.S. Cl.** **D9/415**

FIG. 2 is a front view of the wireless communication device package of FIG. 1;

(58) **Field of Classification Search** D9/600–681,
D9/715, 721, 722, 730, 733, 734, 737, 414–436,
D9/444, 455–457, 499; D6/512–519, 553;
D27/172–193; 206/461–471, 806, 822, 701,
206/702, 721–723, 736, 756, 758, 763, 765,
206/45.2–45.3, 784; 229/100, 102.5, 117.09,
229/117.12, 117.18, 117.23, 117.24, 117.28,
229/120.01, 121, 124, 155, 164, 183, 185,
229/194, 937

FIG. 3 is a rear view of the wireless communication device package of FIG. 1;

See application file for complete search history.

FIG. 4 is a left-side view of the wireless communication device package of FIG. 1;

(56) **References Cited**

FIG. 5 is a right-side view of the wireless communication device package of FIG. 1;

U.S. PATENT DOCUMENTS

FIG. 6 is a top plan view of the wireless communication device package of FIG. 1;

1,800,550 A * 4/1931 Mahoney, Jr. et al. 206/45.29
2,026,525 A * 1/1936 Korte 206/766
2,979,192 A * 4/1961 Blonder 206/321
3,220,543 A * 11/1965 McCord et al. 206/362.2
3,459,298 A * 8/1969 Quenot 206/305
4,106,615 A * 8/1978 Hiroshi 229/117.18
4,326,546 A * 4/1982 Acker 132/314
4,630,734 A * 12/1986 Severin et al. 206/461
D295,832 S * 5/1988 Shelton D9/415

FIG. 7 is a bottom plan view of the wireless communication device package of FIG. 1; and

FIG. 8 is a plan view showing the outer member of the wireless communication device package of FIG. 1 in its unassembled state; and,

FIG. 9 is an exploded perspective view of the wireless communication device package of FIG. 1.

1 Claim, 6 Drawing Sheets




FIG. 1




FIG.2




FIG.3




FIG. 4




FIG. 5




FIG. 6





FIG. 7






FIG. 9

