



US00D598009S

(12) **United States Design Patent**  
**Painter**

(10) **Patent No.:** **US D598,009 S**

(45) **Date of Patent:** **\*\* Aug. 11, 2009**

(54) **REMOTE CONTROL USER INTERFACE**

(75) Inventor: **Christopher Painter**, Pleasanton, CA (US)

(73) Assignee: **Glide TV, Inc.**, Pleasanton, CA (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/327,932**

(22) Filed: **Nov. 14, 2008**

(51) **LOC (9) Cl.** ..... **14-03**

(52) **U.S. Cl.** ..... **D14/218**

(58) **Field of Classification Search** ..... D14/218,  
D14/455; D13/168; D21/566; D10/104,  
D10/106; 345/169; 348/14.05, 114, 211.99,  
348/734; 340/825.24; 341/22; 455/92, 95,  
455/128, 151.1-151.4, 352, 355, FOR. 121;  
700/65

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D219,028 S *	10/1970	Miller et al. ....	D14/218
D249,091 S *	8/1978	Burtis .....	D18/7
D325,582 S *	4/1992	Emmons et al. ....	D14/218
D354,489 S *	1/1995	Patton et al. ....	D14/218
D375,909 S *	11/1996	Dziersk et al. ....	D10/106
D381,662 S *	7/1997	Weissberg et al. ....	D14/218
D427,993 S *	7/2000	Seal .....	D14/218
D450,388 S *	11/2001	Nakanishi et al. ....	D24/200

D458,919 S *	6/2002	Arjomand et al. ....	D14/218
D497,882 S *	11/2004	Huang .....	D13/168
D518,030 S *	3/2006	Lin .....	D14/218
D524,295 S *	7/2006	Jacobson et al. ....	D14/218
D541,228 S *	4/2007	Thursfield .....	D13/168
D546,780 S *	7/2007	Marchetto et al. ....	D13/168
D554,074 S *	10/2007	Laurent et al. ....	D13/164
D561,113 S *	2/2008	Samhammer et al. ....	D13/162
D563,906 S *	3/2008	Cheng .....	D13/168
D571,305 S *	6/2008	Thursfield .....	D13/168
D577,721 S *	9/2008	O'Neil .....	D14/358

\* cited by examiner

*Primary Examiner*—T. Chase Nelson

*Assistant Examiner*—John Windmuller

(74) *Attorney, Agent, or Firm*—Pillsbury Winthrop Shaw Pittman LLP

(57) **CLAIM**

The remote control user interface, as shown and described.

**DESCRIPTION**


FIG. 1 is a perspective view illustrating the ornamental characteristics of a remote control user interface according to the present design;

FIG. 2 is a top view of the view of the remote control user interface having the present design;

FIG. 3 is a bottom view of the remote control user interface; and,

FIG. 4 is a side view of the remote control user interface.

**1 Claim, 4 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4