

US00D598484S

(12) **United States Design Patent**
Katsumata

(10) **Patent No.:** **US D598,484 S**

(45) **Date of Patent:** **** Aug. 18, 2009**

(54) **ELECTRONIC KEYBOARD INSTRUMENT**

(75) Inventor: **Yoshihiro Katsumata**, Hamamatsu (JP)

(73) Assignee: **Yamaha Corporation**, Hamamatsu-shi (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/325,850**

(22) Filed: **Oct. 7, 2008**

(30) **Foreign Application Priority Data**

Apr. 8, 2008 (JP) 2008-008874

(51) **LOC (9) Cl.** **17-01**

(52) **U.S. Cl.** **D17/1**

(58) **Field of Classification Search** D17/1,
D17/2, 7; 84/13, 172, 174, 423 R, 743, 744;
D21/409

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D325,924 S * 5/1992 Yu D17/5

D345,754 S * 4/1994 Oki D17/1

D346,617 S * 5/1994 Oki D17/1
D555,710 S * 11/2007 Suzuki D17/1
D569,415 S * 5/2008 Shigeru D17/1
2008/0168894 A1 * 7/2008 Kuo 84/744

* cited by examiner

Primary Examiner—Adir Aronovich

Assistant Examiner—R. Johnson

(74) *Attorney, Agent, or Firm*—Sughrue Mion, PLLC

(57) **CLAIM**

The ornamental design for an electronic keyboard instrument, as shown and described.

DESCRIPTION

FIG. 1 is a front, top, right perspective view of an electronic keyboard instrument showing my new design;

FIG. 2 is a top plan view thereof;

FIG. 3 is a front elevation view thereof;



FIG. 4 is a back elevation view thereof;

FIG. 5 is a left side view thereof;

FIG. 6 is a right side view thereof; and,

FIG. 7 is a bottom plan view thereof.

1 Claim, 5 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7