



US00D599051S

(12) **United States Design Patent**
Wu et al.

(10) **Patent No.:** **US D599,051 S**
(45) **Date of Patent:** **** Aug. 25, 2009**

(54) **MULTI-DIRECTIONAL LIGHTING FIXTURE**

(75) Inventors: **Arthur Y. Wu**, Portland, OR (US);
James A. Doerr, Richmond, VA (US);
Michael D. Garten, Charlotte, NC (US);
David Rector, Spokane Valley, WA
(US); **Virginia L. Broadbrooks**,
Hendersonville, NC (US); **Dawn R.**
Kack, Landrum, SC (US)

(73) Assignee: **Hubbell Incorporated**, Orange, CT
(US)

(**) Term: **14 Years**

(21) Appl. No.: **29/309,129**

(22) Filed: **Jun. 25, 2008**

(51) **LOC (9) Cl.** **26-03**
(52) **U.S. Cl.** **D26/76**
(58) **Field of Classification Search** D26/24–28,
D26/37, 67, 72, 74–78, 80, 85, 89, 104, 108,
D26/118, 120–122; 362/132, 145, 147–150,
362/157, 217–225, 228, 260, 262–264, 267,
362/310, 345, 364, 365, 368, 432, 440; D10/114
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D127,398 S 5/1941 Jordan
2,304,202 A 12/1942 Pracht
D136,382 S * 9/1943 Guth D26/138
2,348,930 A 5/1944 Schepmoes
2,401,635 A 6/1946 Guth
D151,053 S * 9/1948 McCann D26/128
D254,604 S * 4/1980 Gosswiller D10/114
4,246,629 A 1/1981 Marrero
D274,657 S 7/1984 Herst et al.
4,507,719 A 3/1985 Quiogue
D280,978 S * 10/1985 Gosswiller D10/114
4,573,111 A 2/1986 Herst et al.
4,748,547 A 5/1988 Baker
4,866,584 A 9/1989 Plewman
D344,605 S 2/1994 Aspenwall

D345,316 S * 3/1994 Green et al. D10/114
D401,000 S 11/1998 Herst
D414,580 S 9/1999 Herst
6,081,191 A * 6/2000 Green et al. 340/472
6,305,816 B1 10/2001 Corcorran et al.
D463,058 S 9/2002 Nourishad
6,517,222 B1 2/2003 Orlov
D486,263 S * 2/2004 Grothe et al. D26/118
D489,472 S * 5/2004 Newhouse et al. D26/75
D492,809 S * 7/2004 Weitgasser D26/76
D498,018 S 11/2004 Sieczkowski
7,156,537 B1 1/2007 Cohrs
7,192,158 B2 3/2007 Eppler
D550,881 S 9/2007 Lay et al.
D570,533 S * 6/2008 Morgan D26/138

FOREIGN PATENT DOCUMENTS

JP 10241444 11/1998

OTHER PUBLICATIONS

Lithonia Lighting, Light Concepts, Velegant Luminaire On-line
Catalog, Acuity Brands Co.—Nov. 2006, pp. 1-2.

* cited by examiner

Primary Examiner—T. Chase Nelson

Assistant Examiner—Susan E Krakower

(74) *Attorney, Agent, or Firm*—Mark S. Bicks; Alfred N.
Goodman; Jenae C. Gureff

(57) **CLAIM**

The ornamental design for a multi-directional lighting fix-
ture, as shown and described.

DESCRIPTION

FIG. 1 is a right perspective view of the top of a multi-
directional lighting fixture according to a first embodiment of
the invention;

FIG. 2 is a left perspective view of the bottom of the multi-
directional lighting fixture illustrated in FIG. 1;

FIG. 3 is a top plan view of the multi-directional lighting
fixture illustrated in FIGS. 1 and 2;

FIG. 4 is a bottom plan view of the multi-directional lighting
fixture illustrated in FIGS. 1–3;





FIG. 5 is a right side elevational view of the multi-directional lighting fixture illustrated in FIGS. 1–4, the left side elevational view being the mirror image thereof;

FIG. 6 is a left end elevational view of the multi-directional lighting fixture illustrated in FIGS. 1–5, the right end elevational view being the mirror image thereof;

FIG. 7 is a right perspective view of the top of a multi-directional lighting fixture according to a second embodiment;

FIG. 8 is a left perspective view of the bottom of the multi-directional lighting fixture illustrated in FIG. 7;

FIG. 9 is a top plan view of the multi-directional lighting fixture illustrated in FIGS. 7 and 8;

FIG. 10 is a bottom plan view of the multi-directional lighting fixture illustrated in FIGS. 7–9;

FIG. 11 is a right side elevational view of the multi-directional lighting fixture illustrated in FIGS. 7–10, the left side elevational view being the mirror image thereof;

FIG. 12 is a left end elevational view of the multi-directional lighting fixture illustrated in FIGS. 7–11, the right end elevational view being the mirror image thereof;

FIG. 13 is a left perspective view of the bottom of a multi-directional lighting fixture according to a third embodiment;

FIG. 14 is a top plan view of the multi-directional lighting fixture illustrated in FIG. 13;

FIG. 15 is a bottom plan view of the multi-directional lighting fixture illustrated in FIGS. 13 and 14;

FIG. 16 is a right side elevational view of the multi-directional lighting fixture illustrated in FIGS. 13–15, the left side elevational view being the mirror image thereof; and,

FIG. 17 is a left end elevational view of the multi-directional lighting fixture illustrated in FIGS. 13–16, the right end elevational view being the mirror image thereof.

1 Claim, 11 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5



FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11



FIG. 12




FIG. 13




FIG. 14




FIG. 15



FIG. 16



FIG. 17