



US00D599194S

(12) **United States Design Patent**
Meyer et al.

(10) **Patent No.:** **US D599,194 S**
(45) **Date of Patent:** **** Sep. 1, 2009**

(54) **BRACKET**

(75) Inventors: **Ron Meyer**, Labadie, MO (US); **Julie Meyer**, Labadie, MO (US)

(73) Assignee: **Unique Metal Solutions, LLC**, Labadie, MO (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/330,895**

(22) Filed: **Jan. 15, 2009**

(51) **LOC (9) Cl.** **08-05**

(52) **U.S. Cl.** **D8/354**

(58) **Field of Classification Search** D8/349,
D8/354, 363, 373, 380, 382, 39; D25/119,
D25/121, 124, 125, 136, 138; 52/122.1,
52/204.5, 238.1–243.1, 285.2, 394, 395,
52/578–582.1, 584.1, 589.1; D13/155; 248/220.1,
248/248, 300

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,380,518	A	6/1921	Bellig	
3,632,146	A	1/1972	Buzby et al.	
D244,748	S *	6/1977	Canterbury	D8/380
D248,274	S *	6/1978	Kingston et al.	D8/354
4,199,907	A	4/1980	Bains et al.	
4,299,068	A	11/1981	Nielsen	
D285,047	S *	8/1986	Dean et al.	D8/382
4,690,359	A	9/1987	Phillips	
D306,964	S *	4/1990	Zupancic	D8/354
4,949,929	A	8/1990	Kesselman et al.	
D337,042	S *	7/1993	Lin et al.	D8/349
5,354,952	A	10/1994	Hickey	
D399,125	S *	10/1998	Blanchard	D8/354
D400,080	S *	10/1998	Beard, Jr.	D8/354
D408,716	S *	4/1999	Vesledahl	D8/354
D449,218	S	10/2001	Vrame	

6,561,473	B1	5/2003	Ianello	
6,908,116	B2	6/2005	Chu et al.	
D531,010	S	10/2006	Vrame	
7,198,242	B1	4/2007	Bently	
D543,834	S *	6/2007	Worthy	D8/354
7,281,696	B2	10/2007	Kida et al.	
D583,221	S *	12/2008	Johnsen	D8/354

* cited by examiner

Primary Examiner—Holly H Baynham

Assistant Examiner—Cynthia M Chin

(74) *Attorney, Agent, or Firm*—Michael J. A. Leinauer; Husch Blackwell Sanders LLP

(57) **CLAIM**

We claim the ornamental design for a bracket, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a bracket showing a first embodiment of our new design;

FIG. 2 is a top view thereof;

FIG. 3 is a front view thereof;

FIG. 4 is a first side view thereof;

FIG. 5 is a second side view thereof;

FIG. 6 is a back view thereof;

FIG. 7 is a bottom view thereof;

FIG. 8 a top perspective view of a bracket showing a second embodiment of our new design;

FIG. 9 is a top view thereof;

FIG. 10 is a front view thereof;



FIG. 11 is a first side view thereof;

FIG. 12 is a second side view thereof;

FIG. 13 is a back view thereof; and,

FIG. 14 is a bottom view thereof.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 5




FIG. 4




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 12




FIG. 11




FIG. 13




FIG. 14