

US00D599195S

(12) **United States Design Patent**
Wen

(10) **Patent No.:** **US D599,195 S**

(45) **Date of Patent:** **** Sep. 1, 2009**

(54) **WIRE HOLDER**

(75) Inventor: **Fu-Chieh Wen**, Taoyuan County (TW)

(73) Assignee: **Hannspree, Inc**, Taipei (TW)

(**) Term: **14 Years**

(21) Appl. No.: **29/319,073**

(22) Filed: **Jun. 3, 2008**

(51) **LOC (9) Cl.** **08-05**

(52) **U.S. Cl.** **D8/356**

(58) **Field of Classification Search** D8/105,
D8/107, 333, 349, 354, 356, 358, 367, 373,
D8/382, 383, 394-396, 400; 24/18, 197,
24/561; 174/153 G, 650, 656; 242/400.1,
242/405.1, 405.2, 600, 603; 248/65, 74.1-74.4,
248/201, 214, 215, 229.26, 302, 304, 316.7,
248/316.8; 439/367, 369, 371, 472, 501,
439/535; D21/600, 604, 610, 611, 614, 619,
D21/620, 654, 616

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D75,289	S	*	5/1928	Roys	D21/616
2,447,025	A	*	8/1948	Newman	24/135 R
3,197,830	A	*	8/1965	Hoadley	24/16 PB
4,815,172	A	*	3/1989	Ward	24/16 R
4,874,151	A	*	10/1989	Fritz	251/90
4,939,818	A	*	7/1990	Hahn	24/16 R
5,075,932	A	*	12/1991	Hunt et al.	24/16 PB
D364,798	S	*	12/1995	Bright et al.	D8/394

D395,596	S	*	6/1998	Butera	D8/396
D406,717	S	*	3/1999	Rosenstadt et al.	D6/598
D433,863	S	*	11/2000	Rosenstadt et al.	D6/598
6,581,885	B2	*	6/2003	Polad	248/74.3
D508,382	S	*	8/2005	Tranfaglia et al.	D7/656
D570,427	S	*	6/2008	Dossett	D21/604
2008/0197244	A1	*	8/2008	Bechmann	248/74.3

* cited by examiner

Primary Examiner—T. Chase Nelson

Assistant Examiner—Karen Acker

(74) *Attorney, Agent, or Firm*—Apex Juris, PLLC; Tracy M. Heims

(57) **CLAIM**

The ornamental design for a wire holder, as shown.

DESCRIPTION

FIG. 1 is a front perspective view of a wire holder showing my new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;

FIG. 4 is a right side elevational view thereof;


FIG. 5 is a top plan view thereof;

FIG. 6 is a bottom plan view thereof; and,

FIG. 7 is a front perspective view of the wire holder of FIG. 1 in a position of use.

The broken line structure in the drawing of FIG. 7 is included to illustrate the design in a position of use and forms no part of the claimed design.

1 Claim, 7 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7