



US00D599195S

(12) **United States Design Patent**  
**Wen**

(10) **Patent No.:** **US D599,195 S**  
(45) **Date of Patent:** **\*\* Sep. 1, 2009**

(54) **WIRE HOLDER**

(75) Inventor: **Fu-Chieh Wen**, Taoyuan County (TW)

(73) Assignee: **Hannspree, Inc**, Taipei (TW)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/319,073**

(22) Filed: **Jun. 3, 2008**

(51) **LOC (9) Cl.** ..... **08-05**

(52) **U.S. Cl.** ..... **D8/356**

(58) **Field of Classification Search** ..... D8/105,  
D8/107, 333, 349, 354, 356, 358, 367, 373,  
D8/382, 383, 394-396, 400; 24/18, 197,  
24/561; 174/153 G, 650, 656; 242/400.1,  
242/405.1, 405.2, 600, 603; 248/65, 74.1-74.4,  
248/201, 214, 215, 229.26, 302, 304, 316.7,  
248/316.8; 439/367, 369, 371, 472, 501,  
439/535; D21/600, 604, 610, 611, 614, 619,  
D21/620, 654, 616

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D75,289 S \* 5/1928 Roys ..... D21/616  
2,447,025 A \* 8/1948 Newman ..... 24/135 R  
3,197,830 A \* 8/1965 Hoadley ..... 24/16 PB  
4,815,172 A \* 3/1989 Ward ..... 24/16 R  
4,874,151 A \* 10/1989 Fritz ..... 251/90  
4,939,818 A \* 7/1990 Hahn ..... 24/16 R  
5,075,932 A \* 12/1991 Hunt et al. .... 24/16 PB  
D364,798 S \* 12/1995 Bright et al. .... D8/394

D395,596 S \* 6/1998 Butera ..... D8/396  
D406,717 S \* 3/1999 Rosenstadt et al. .... D6/598  
D433,863 S \* 11/2000 Rosenstadt et al. .... D6/598  
6,581,885 B2 \* 6/2003 Polad ..... 248/74.3  
D508,382 S \* 8/2005 Tranfaglia et al. .... D7/656  
D570,427 S \* 6/2008 Dossett ..... D21/604  
2008/0197244 A1 \* 8/2008 Bechmann ..... 248/74.3

\* cited by examiner

*Primary Examiner*—T. Chase Nelson

*Assistant Examiner*—Karen Acker

(74) *Attorney, Agent, or Firm*—Apex Juris, PLLC; Tracy M. Heims

(57) **CLAIM**

The ornamental design for a wire holder, as shown.

**DESCRIPTION**

FIG. 1 is a front perspective view of a wire holder showing my new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;

FIG. 4 is a right side elevational view thereof;


FIG. 5 is a top plan view thereof;

FIG. 6 is a bottom plan view thereof; and,

FIG. 7 is a front perspective view of the wire holder of FIG. 1 in a position of use.

The broken line structure in the drawing of FIG. 7 is included to illustrate the design in a position of use and forms no part of the claimed design.

**1 Claim, 7 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7