



US00D599547S

(12) **United States Design Patent**  
**Lown et al.**

(10) **Patent No.:** **US D599,547 S**  
(45) **Date of Patent:** **\*\* Sep. 8, 2009**

(54) **SOFT CAMERA CASE**

(75) Inventors: **Aaron Lown**, Tuxedo, NY (US); **John Roscoe Swartz**, Ridgewood, NJ (US)

(73) Assignee: **Built NY, Inc.**, New York, NY (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/325,976**

(22) Filed: **Oct. 9, 2008**

(51) **LOC (9) Cl.** ..... **03-01**

(52) **U.S. Cl.** ..... **D3/267; D3/263**

(58) **Field of Classification Search** ..... D3/201,  
D3/202, 219, 233, 243, 263, 265, 267, 268,  
D3/276, 290; 224/245, 908, 673; 206/316.1,  
206/316.2; 248/187.1; 292/DIG. 48  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

|           |   |   |         |             |       |         |
|-----------|---|---|---------|-------------|-------|---------|
| D136,131  | S | * | 8/1943  | Schwartz    | ..... | D3/290  |
| 2,597,194 | A | * | 5/1952  | Sholl       | ..... | 190/111 |
| D232,872  | S | * | 9/1974  | Ventimiglia | ..... | D3/246  |
| D280,864  | S | * | 10/1985 | Allen       | ..... | D3/283  |
| D328,184  | S | * | 7/1992  | Krugman     | ..... | D3/285  |
| 5,899,371 | A | * | 5/1999  | Weliver     | ..... | 224/245 |
| D454,686  | S | * | 3/2002  | McCormack   | ..... | D3/265  |

|          |   |   |         |                |       |        |
|----------|---|---|---------|----------------|-------|--------|
| D472,381 | S | * | 4/2003  | Murdoch et al. | ..... | D3/268 |
| D482,864 | S | * | 12/2003 | Hillman        | ..... | D3/267 |
| D485,987 | S | * | 2/2004  | Hassett        | ..... | D3/267 |
| D495,135 | S | * | 8/2004  | Hillman        | ..... | D3/267 |
| D498,048 | S | * | 11/2004 | Reichardt      | ..... | D3/228 |
| D507,875 | S | * | 8/2005  | Hillman        | ..... | D3/267 |

\* cited by examiner

*Primary Examiner*—Celia A Murphy

(74) *Attorney, Agent, or Firm*—Fish & Richardson P.C.

(57) **CLAIM**

The ornamental design for a soft camera case, substantially as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of the soft camera case.

FIG. 2 is a front view of the soft camera case.

FIG. 3 is a back view of the soft camera case.

FIG. 4 is a left view of the soft camera case.



FIG. 5 is a right view of the soft camera case.

FIG. 6 is a top view of the soft camera case; and,

FIG. 7 is a bottom view of the soft camera case.

The broken lines shown on the surface throughout the views symbolize a slide fastener.

**1 Claim, 4 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7