



US00D599671S

(12) **United States Design Patent**
Bourne

(10) **Patent No.:** **US D599,671 S**

(45) **Date of Patent:** **** Sep. 8, 2009**

(54) **BOTTLE**

(75) Inventor: **Damien Bourne**, Le Havre Cedex (FR)

(73) Assignee: **Sidel Participations**, Octeville sur Mer (FR)

(**) Term: **14 Years**

(21) Appl. No.: **29/290,154**

(22) Filed: **Oct. 25, 2007**

(30) **Foreign Application Priority Data**

Oct. 20, 2007 (EP) 807 706

(51) **LOC (9) Cl.** **09-01**

(52) **U.S. Cl.** **D9/538; D9/551; D9/552;**
D9/554; D9/520

(58) **Field of Classification Search** D9/516,
D9/690-692, 529-530, 537-545, 549, 551-552,
D9/554, 556, 560, 565, 567, 571, 574-575;
215/381-385

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D97,198 S *	10/1935	McLaughlin	D9/541
D104,735 S *	6/1937	Ziff et al.	D9/550
D194,440 S *	1/1963	Roberts	D9/542
D212,322 S *	10/1968	Koenigsberg	D9/551 X
D217,590 S *	5/1970	Koenigsberg	D9/529
5,518,143 A *	5/1996	Iodice	220/708
D417,156 S *	11/1999	Veyssiere	D9/552
D432,020 S *	10/2000	Steward et al.	D9/540
D509,740 S *	9/2005	Collins et al.	D9/516

D509,741 S *	9/2005	Collins et al.	D9/516
D534,079 S *	12/2006	Livingston	D9/516
D544,367 S *	6/2007	Calderon-Bautista	D9/668
D546,699 S *	7/2007	Bourne	D9/552
D546,700 S *	7/2007	Bourne	D9/552
D551,558 S *	9/2007	Lundberg	D9/552
D564,359 S *	3/2008	Trollope et al.	D9/552
D572,139 S *	7/2008	Trollope et al.	D9/516
D574,718 S *	8/2008	Lepoitevin	D9/539 X
D579,337 S *	10/2008	Druart et al.	D9/538
D582,779 S *	12/2008	Bourne	D9/538
D583,245 S *	12/2008	Lepoitevin	D9/538

* cited by examiner

Primary Examiner—Carol Rademaker

(74) *Attorney, Agent, or Firm*—McKenna Long & Aldridge LLP

(57) **CLAIM**

The ornamental design for a bottle, as shown and described.

DESCRIPTION

FIG. 1 is a top, front, and left side perspective view of the present invention,

FIG. 2 is a bottom, front, and left side perspective view thereof;

FIG. 3 is a front elevational view thereof;

FIG. 4 is a left side elevational view thereof;



FIG. 5 is a rear elevational view thereof;

FIG. 6 is a top plan view thereof;

FIG. 7 is a bottom plan view thereof; and,

FIG. 8 is a right side elevational view thereof.

1 Claim, 7 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : Des. 599,671 S
APPLICATION NO. : 29/290154
DATED : September 8, 2009
INVENTOR(S) : Damien Bourne

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the title page, under item (30) "Foreign Application Priority Data" the abbreviation "EP" should be replaced by --OHIM--.

Signed and Sealed this

Twenty-seventh Day of October, 2009

A handwritten signature in black ink that reads "David J. Kappos". The signature is written in a cursive, flowing style.

David J. Kappos
Director of the United States Patent and Trademark Office