

US00D599797S

(12) **United States Design Patent**
Kim

(10) **Patent No.:** **US D599,797 S**
(45) **Date of Patent:** **** Sep. 8, 2009**

(54) **RADIO FREQUENCY IDENTIFICATION
DEVICE READER**

D535,974 S * 1/2007 Alwicker et al. D14/188
D538,806 S * 3/2007 Brod et al. D14/385

(75) Inventor: **Hong-ki Kim**, Seoul (KR)

(73) Assignee: **Samsung Techwin Co., Ltd.**, Changwon (KR)

(**) Term: **14 Years**

(21) Appl. No.: **29/307,602**

(22) Filed: **Apr. 29, 2008**

(30) **Foreign Application Priority Data**

Apr. 22, 2008 (KR) 30-2008-0017073

(51) **LOC (9) Cl.** **14-02**

(52) **U.S. Cl.** **D14/383**

(58) **Field of Classification Search** D14/383–387,
D14/426, 422, 347, 188, 453; 345/169, 173;
356/71, 237.1; 382/116, 124–126, 181, 207;
235/382, 382.5, 472.02; 355/64, 65, 75,
355/81; 118/31.5; 283/68–70, 74, 75, 78;
700/218; D18/4.4; 361/681–686, 747; 343/702;
D13/184

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D203,394 S * 1/1966 Hollerith, Jr. et al. D14/385
D491,953 S * 6/2004 Arakaki et al. D14/453
D518,451 S * 4/2006 Nussberger et al. D13/184
D533,178 S * 12/2006 Farnum et al. D14/385

OTHER PUBLICATIONS

Photograph of Samsung Techwin RFID Reader, published on internet web site: <http://www.tagstory.com> (Oct. 31, 2007).

“Samsung Techwin Developed a RFID Reader,” ETNEWS, published on internet web site: <http://www.etnews.co.kr/news/detail.html?id=200712100090> (Dec. 12, 2007).

* cited by examiner

Primary Examiner—Freda S Nunn

(74) *Attorney, Agent, or Firm*—Drinker Biddle & Reath LLP

(57) **CLAIM**

The ornamental design for an radio frequency identification device reader, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an radio frequency identification device reader;

FIG. 2 is a front view of the radio frequency identification device reader;

FIG. 3 is a rear view of the radio frequency identification device reader;

FIG. 4 is a left side view of the radio frequency identification device reader, a right side view being identical;

FIG. 5 is a top plan view of the radio frequency identification device reader; and,

FIG. 6 is a bottom plan view of the radio frequency identification device reader.

1 Claim, 6 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

