

US00D600119S

(12) **United States Design Patent**
Sweeton

(10) **Patent No.:** **US D600,119 S**

(45) **Date of Patent:** **** Sep. 15, 2009**

(54) **SPRAYER SHROUD**

(75) Inventor: **Steven L. Sweeton**, Lake Winnebago,
MO (US)

(73) Assignee: **MeadWestvaco Calmar, Inc.**,
Grandview, MO (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/318,984**

(22) Filed: **Jun. 2, 2008**

Related U.S. Application Data

(63) Continuation-in-part of application No. 29/279,683,
filed on May 4, 2007.

(51) **LOC (9) Cl.** **09-07**

(52) **U.S. Cl.** **D9/448**

(58) **Field of Classification Search** D9/686,
D9/685, 682, 448; D8/51; D23/226, 213;
417/411; 401/190; 239/337, 120; 222/402.11,
222/383.3, 383.1, 323, 179.5, 109, 1
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D178,338 S	7/1956	Collins
D195,701 S	7/1963	Chermayeff
3,189,232 A	6/1965	Joffee
D210,701 S	4/1968	Coons et al.
3,580,432 A	5/1971	Brooks
3,933,283 A	1/1976	Hoagland
3,987,942 A	10/1976	Morane et al.
4,232,828 A	11/1980	Shelly, Jr.
4,252,455 A	2/1981	De la Pena
D258,800 S	4/1981	Halbeisen et al.
D259,467 S	6/1981	Halbeisen et al.
D305,612 S	1/1990	Haworth
D315,292 S	3/1991	Seager
D328,712 S	8/1992	Butler et al.
5,147,075 A	9/1992	Regan
5,152,461 A	10/1992	Proctor

D343,577 S	1/1994	Proctor
D344,231 S	2/1994	Gagnon
D347,788 S	6/1994	Steijns et al.
D356,249 S	3/1995	Abfier et al.
D369,742 S	5/1996	Brookshire et al.
5,597,095 A	1/1997	Ferrara, Jr.
5,676,311 A *	10/1997	Hartman 239/120
D388,319 S	12/1997	Lamb
D395,597 S *	6/1998	Lamb D9/688
5,862,960 A	1/1999	Miller et al.
D411,100 S	6/1999	Torres
D430,793 S	9/2000	Baron
D433,943 S	11/2000	Keung et al.
6,145,706 A	11/2000	Dinand
D434,974 S	12/2000	Weber
D436,039 S	1/2001	Moretti

(Continued)

FOREIGN PATENT DOCUMENTS

CH	612363	7/1979
EP	0086377	8/1983

Primary Examiner—Susan Bennett Hattan


(57) **CLAIM**

The ornamental design for a sprayer shroud, as shown and described.

DESCRIPTION

FIG. 1 is a back side perspective view of a sprayer shroud;
FIG. 2 is a top view of the sprayer shroud;
FIG. 3 is a side view of the sprayer shroud, the other side
being a mirror image thereof;
FIG. 4 is a front view of the sprayer shroud;
FIG. 5 is a rear view of the sprayer shroud.
The broken lines showing the trigger, the nozzle, and certain
surface ornamentation of the sprayer shroud form no part of
the claimed design. The broken lines showing the bottle is for
purposes of environmental structure and forms no part of the
claimed design.

1 Claim, 3 Drawing Sheets



US D600,119 S

Page 2

U.S. PATENT DOCUMENTS

D437,212 S	2/2001	Adachi et al.	6,758,373 B2	7/2004	Jackson et al.
D437,548 S	2/2001	Desgrippes et al.	D507,493 S	7/2005	Nelson et al.
D438,785 S	3/2001	Baron	D507,753 S	7/2005	Lamb et al.
D438,786 S	3/2001	Ghali	D509,136 S	9/2005	Walters et al.
6,202,896 B1	3/2001	Bonningue	6,981,658 B2	1/2006	Streutker et al.
6,296,147 B1	10/2001	Trocola et al.	D527,258 S	8/2006	Crawford
D461,718 S	8/2002	Brozell	D537,359 S	2/2007	Butler et al.
D463,735 S	10/2002	Gobe	D539,142 S	3/2007	Butler et al.
6,502,766 B1	1/2003	Streutker et al.	D555,000 S	11/2007	Bunce et al.
D476,558 S	7/2003	Cho et al.	D559,682 S	1/2008	Meeker et al.
6,626,380 B1	9/2003	Williams et al.	D561,318 S *	2/2008	Naksen et al. D23/366
D481,305 S	10/2003	Walters et al.	D580,761 S *	11/2008	Sweeton D9/448
D482,620 S	11/2003	Kleckauskas et al.	2001/0023877 A1	9/2001	Walters
D483,273 S	12/2003	Lloyd	2001/0054621 A1	12/2001	Weber
D489,616 S	5/2004	Bakic	2004/0222246 A1	11/2004	Bates et al.
D489,970 S	5/2004	Nelson et al.	2005/0103811 A1	5/2005	Heukamp

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5