

US00D600197S

(12) **United States Design Patent**
Voss et al.

(10) **Patent No.:** **US D600,197 S**
(45) **Date of Patent:** **** Sep. 15, 2009**

(54) **TIRE TREAD**

(75) Inventors: **Stefan Voss**, Greer, SC (US); **Jean-Marc Marie d'Harcourt**, Clermont-Ferrand (FR); **Mathieu Vandaele**, Charbonnieres Les Verennes (FR); **Jeffrey E. Godsey**, Greenville, SC (US)

(73) Assignee: **Michelin Recherche et Technique S.A.**, Granges-Paccot (CH)

(**) Term: **14 Years**

(21) Appl. No.: **29/319,478**

(22) Filed: **Jun. 10, 2008**

(51) **LOC (9) Cl.** **12-15**

(52) **U.S. Cl.** **D12/585**

(58) **Field of Classification Search** D12/547,
D12/549-550, 568, 574, 580-603, 900-901;
152/209.1, 209.8-209.19, 209.25-209.28
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D187,574 S *	3/1960	Wallace et al.		D12/583
D189,869 S *	3/1961	Newman		D12/582
D193,602 S *	9/1962	Toborez		D12/585
D210,343 S *	2/1968	Jones		D12/582
D213,750 S *	4/1969	Tucker		D12/583
D288,078 S *	2/1987	Hasegawa		D12/596
D301,022 S *	5/1989	Kemp		D12/584
D305,220 S *	12/1989	Kemp		D12/583
D313,383 S *	1/1991	Enoki		D12/582
D349,670 S *	8/1994	Ichiki		D12/597
D354,032 S	1/1995	Grosskopf		
D390,510 S	2/1998	Stone et al.		
D393,820 S *	4/1998	Merino Lopez		D12/583
D399,796 S *	10/1998	Cho et al.		D12/588
D414,725 S	10/1999	Kemp, Jr.		
D442,896 S *	5/2001	Merino Lopez		D12/600
D451,450 S *	12/2001	Smith		D12/585

D454,535 S	3/2002	Kemp, Jr.	
D471,512 S	3/2003	Weaver	
D541,736 S *	5/2007	Helt	 D12/600

FOREIGN PATENT DOCUMENTS

FR	03 4517	12/2003
FR	000160429-0001	6/2004
FR	000299185-0001	4/2005
FR	000332853-0001	6/2005

OTHER PUBLICATIONS

Tread Design Guide, 2007, p. 119 Michelin XDA2+ Energy.
Tread Design Guide, 2007, p. 120 Michelin XOne XDU.

* cited by examiner

Primary Examiner—Stacia Cadmus

(74) *Attorney, Agent, or Firm*—Carolyn G. Uldrick; Frank J. Campigotto; E. Martin Remick

(57) **CLAIM**

The ornamental design for a tire tread, as shown and described.

DESCRIPTION


FIG. 1 is a perspective view of a tire tread showing my new design, it being understood that the tread pattern repeats circumferentially throughout the outer circumference and shoulder of a tire, the opposite side perspective view being identical thereto;

FIG. 2 is a full front elevation view of the tire tread thereof of FIG. 1; and,

FIG. 3 is a side view of the tire thread thereof of FIG. 1.

In the drawings, the dark stippled surface shading represents the recessed groove portions of the tire tread having a depth as best illustrated along the top and bottom edges of FIG. 2. The broken line disclosure of the tire sidewall and inner bead is for illustrative purposes only and forms no part of the claimed design.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3